Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.







Table of Contents

Learning Community MAR 4 1932

For quick reference consult itemized index on pages 64 to 68.

Deciduous Trees, Shrubs and Vines	ages	3	to	29
Roses	44	22	to	23
Evergreens and Conifers	**	30	to	47
Herbaceous Perennials	44	48	to	57
Ground Covers	44	59		
Broad Leaved Evergreen Shrubs	44	62		
Rock Plants	44	58	to	59
Plants for Special Purposes	44	58	to	63
Conditions of Sale	44	2		
Index	4.4	64	to	68



MEMBERS

American Association of Nurserymen Eastern Nurserymen's Association New Jersey Association of Nurserymen National Advertising Campaign

HORTICULTURAL STANDARDS as adopted by the A. A. N. used as a basis for grading and quotations.

Shipping Point: MILLBURN, N. J. Telephone: MILLBURN 6-0152

Conditions of Sale

Liability—Orders are accepted subject to prior sale and condition of stock, under the following terms. Errors made by us will be gladly corrected, but we must be notified within five days from the arrival of the stock. The plants become your property upon delivery of them to the Transportation Co., and we cannot be responsible for loss, damage or delay in transit.

Prices—Are F. O. B. our nurseries, packing extra; 250, 25 or 5 of any one variety on one order will be furnished at the 1000, 100 or 10 rates respectively.

Terms—Cash, security or satisfactory references are required from unknown parties. ALL ACCOUNTS DUE thirty days from date of invoice. Interest at six per cent (6%) per year will be charged on all overdue accounts.

Stock Specially Selected by customers at the Nurseries will be charged according to the value of the material chosen, irrespective of catalogue price.

Our Responsibility—While we exercise the greatest care to have our nursery products all genuine and reliable, and hold ourselves prepared to replace, on proper proof, all that proves untrue, we do not give any warranty, express or implied, or guarantee them to live and grow or give specified results. In case of any error on our part, it is mutually agreed between the purchaser and ourselves that we shall not at any time be held responsible for a greater amount than the original price of the nursery products. No complaints will be considered that are not made within ten days after receipt of our products.

 Packing—Carloads packed free.
 Boxing charged at cost as follows:

 12x 15 in. x 8 ft.
 \$1.75 | 23x28 in. x 8 ft.
 \$3.00 | 17x20 in. x 10 ft.
 \$3.50 | 17x20 in. x 10 ft.
 \$4.00 | 17x20 in. x 10 ft.

Delivery Service is made within one hundred miles of our nurseries at the following scheduled charges which are less than actual costs. The advantages of truck delivery are many; the cost of boxing, freight and cartage is eliminated; the stock is delivered in a much better condition than when packed in cases; and above all, the goods are landed on the grounds within a short time after being dug.

SCHEDULE OF DELIVERY CHARGES							
Amt. of Order on one delivery	First Zone 1 to 15 miles	Second Zone 15 to 30 miles	Third Zone 30 to 50 miles	Fourth Zone 50 to 75 miles	Fifth Zone 75 to 100 miles		
\$1000 or more \$500 to \$999 \$300 to 499 \$100 to 299 Less than\$100	Free Free 4% of order		5% of order	Free	10% of order		

Deciduous Trees, Shrubs and Vines

NOTE—The figures in italics, following each variety, indicate in feet the approximate height of that plant at maturity in the northern half of the U. S.

Varieties marked with an asterisk are best dug with a ball of earth and burlapped to minimize loss. This involves, except where marked B. & B., an extra charge per plant as follows:

2' to 4'—25c	4' to 6'—30c	6' to 8'—40c	8' to 12'-	-50c
ABIES. See Evergre	ens, page 30.	E	ach Per 10	Per 100
ACANTHOPANAX Grace	pentaphyllum (A ful arching habit.		ive Leaf Arali	
1½ to 2 to 3 to	2 ft		.40 3.50 .60 5.00 .75 6.00	25.00 35.00 40.00
ACER dasycarpum. Leave	Silver Maple. s silvery underne		iick growing, llow autumn	
8 to 8 to 10 to 10 to 12 to 12 to	10 ft	1½ in. 2 1¾ in. 2 2 in. 3 2¼ in. 3	1.75 12.50 2.25 17.50 2.75 22.50 3.25 27.50 3.75 35.00 4.25 37.50	100.00 125.00 200.00 250.00
— wieri. Wier	Cut Leaf Mapl	e. 60'-80'	Graceful, droo	ping tree.
8 to 8 to 10 to 11 to	10 ft 10 ft., 1½ to 11 ft., 1½ to 12 ft., 1¾ to	1½ in. 2 1¾ in. 3	2.25 17.50 2.75 22.50 3.50 30.00 4.00 37.50	
palmatum atropi purple	urpureum. Purple e-red leaves that re	Leaf Japane etain their col	se Maple. 6'-8 or throughout	"Has rich summer.
15 to 1½ to 2 to 2½ to 3 ft., 6" pots	2 ft. B. & 2½ ft. B. & 3 ft. B. & 3 B. & 3 ft. B. & 3 B. & 3 B. & 3 ft. B. &	B., bushy B., bushy 1:imens	3.75 35.00 5.00 40.00 7.50 65.00 2.00 100.00 7.50 4.00 35.00	275.00 350.00 500.00
8" pots			5.00 50.00	400.00
purpl origir tion s colori	6'-8' Offered for e Japan Maple will all imported plants so that each plant ing persisting throu listinct form.	undoubtedly were carefull is true to t	become popu y reserved for he bright pu	lar. The propaga-
$\begin{array}{c} 15 & \text{to} \\ 1\frac{1}{2} & \text{to} \\ 2 & \text{to} \\ 2\frac{1}{2} & \text{to} \\ 3 & \text{ft.,ex} \end{array}$		extra bushy 10 extra bushy 11	5.00 125.00	350.00 450.00
pennsylvanicum tinctiv	(striatum). Str ve green bark strip	iped Maple. bed with whit	20'-30' Has e. Thrives in	very dis- wet soil.

4 to 5 ft 1.75

4	DECIDUOUS TREES, SHRUBS A	ND VINES
ACER plata	noides. Norway Maple. 50'-75' T retains green leaves till late autum	in, then turns rich yellow.
	6 to 8 ft	2.50 22.50 175.00 3.50 30.00 250.00 4.50 40.00 350.00 6.00 55.00 500.00 7.50 70.00 650.00 9.00 11.00
— glob	osum. Globe Norway Maple. 8'– forms a round dense head.	10' Grafted on stems—
	3 yr. heads	5.00 40.00 7.50 60.00
— schw	edleri. Schwedler Purple Maple. large growing purple leaf tree. A 9 to 10 ft., 1¼ to 1½ in.	40'-60' Probably the best beautiful lawn specimen. 7.00 60.00
rubrum	Red or Scarlet Maple. 50'-75' In thrives in upland. Brilliant red au 6 to 8 ft	tumn coloring—gray bark
sacchar		
	6 to 8 ft	1 yellow autumn coloring. 2.50 22.50 175.00 3.50 30.00 250.00 4.50 40.00 350.00 6.00 55.00 500.00 7.00 9.00
spicatur	n. Mountain Maple. 18'-20' Ric spicuous reddish fruits in summer.	ch autumn coloring, con-
	spicuous reddish fruits in summer. 1½ to 2 ft	.60 5.00 .85 7.50 1.25 10.00
tatarica	ginnala. Tatarian Maple. 10'-1 for bright red autumn coloring. 2 to 3 ft	2' Graceful and valuable Has a good twiggy habit. .85 7.50
	3 to 4 ft	1.25 10.00 75.00 1.50 12.50
ACTINIDIA	arguta. Bower Actinidia. 20'-30' dark green foliage—yellow berries	s. A quick growing vine.
	2 yr	.75 6.00 50.00 1.00 8.50 75.00
AKEBIA qu	uinata. Five Leaf Akebia. 15'–20 with purple flowers in May. Deep gr 2 yr	V A dainty, beautiful vine een leaves persist till winter. .85 7.50 50.00 1.00 8.50 75.00
ALNUS rug	osa. Smooth Alder. 15'-18' Coan side or swamp planting. Has attra	se shrub useful for water- active purple catkins.
	1½ to 2 ft	

DECIDUOUS TREES, SHRUBS AND VINES 5
Each Per 10 Per 100
AMELANCHIER canadensis (botryapium). Juneberry. 12'–15' White flowers in early spring before leaves. Fruits relished by birds.
1½ to 2 ft
AMPELOPSIS aconitifolia. Hopleaf Ampelopsis. 15'–20' Attractive foliage, bright blue berries in Sept.–Oct. Grows quickly. 3 yr
heterophylla. Porcelain Ampelopsis. 30'-40' Vigorous climber, attractive deeply lobed leaves and handsome light blue fruits. 2 yr
quinquefolia engelmanni. Engelmann Creeper. 30'-40' Very attractive hardy woodbine—vigorous, vivid fall coloring. 2 yr
tricuspidata (veitchi). Japanese Creeper. 40'-50' Brilliant autumn coloring, blue berries turning black—best self-clinging vine. 2 yr
 lowi. Geranium Creeper. 10'-15' An attractive form of the Japanese Creeper with small leaves beautifully colored in fall. 3 in. pots
AMYGDALUS nana (Flowering Almond). See Prunus glandulosa, page 20.
persica. Flowering Peach. 8'-10' Attractive double flowers in early April—useful for forcing. RED or PINK.
2 to 3 ft
ANDROMEDA. See Pieris, pages 20 and 38.
ARALIA pentaphyllum. See Acanthopanax, page 3.
ARONIA arbutifolia. Red Chokeberry. 6'-8' Valuable because of its red berries. Succeeds in moist half-shade. Good fall coloring.
1½ to 2 ft
3 to 4 ft
1½ to 2 ft
AZALEA. For evergreen varieties see page 30.
arborescens. Sweet Azalea, 10'-12' Fragrant white flowers, June.
1½ to 2 ft. B.&B
amoena. See Evergreens, Page 30.
calendulacea (lutea). Flame Azalea. 8'-10' Brilliant flame colored
flowers in early spring, cover the whole shrub. Best in mass. 1½ to 2 ft. B. & B
hinodegiri. See Evergreens, page 30.
kaempferi. Torch Azalea. 4'-5' Warm brick-red flowers in May. A beautiful, unusual color, erect bushy habit, quite hardy
15 to 18 in. B. & B

6	DECID	UOL	JS TREI	ES, SHRU	JBS AND	VINES	
							10 Per 100
AZALEA n	oran	ge, M	lay-June.	. Large	arge show hairy lea specimens	ves—likes	in shades of sun. Our
	12 to	15	in. B. 8	З В	3.0	00 27.5	250.00
nudiflo	ra. Pina of pi	k <i>terbl</i> nk bo	oom. 6 rne in la	5′–8′ Fra te May.	grant flow Prefers a	vers in va moist, sha	rying shades ady place.
	$1\frac{1}{2}$ to 2 to	2 3					
rosea.	Downy	Azal	lea. 4'-	5' Good	bushy h	abit. Be	autiful clear
	pink 1½ to	110W	ers, iviay ft. B. 8	7−june. r 3 B	refers ser	ni-snady, 50 32.5	moist place.
	$\frac{1}{2}$ to	$\frac{1}{2}\frac{1}{2}$	ft. B. 8	3 B	3.5 4.0 5.0	00 37.5	0
e	$2\frac{1}{2}$ to	3	. it. B. 8	3 B	5.0	00 45.0	10
vaseyi.							re, beautiful.
	$1\frac{1}{2}$ to 2 to	$\frac{2}{2\frac{1}{2}}$	ft. B. 8	3 В 3 В	4.5 5.5	50 40.0 50 50.0	
viscosa	. Swan	ıp A	zalea.	4'-5' W	hite, very	fragrant	June-July.
	Thes	e are	fine bush	ny clumps	that are	really nur	sery grown.
	$1\frac{1}{2}$ to 2 to	$\frac{2}{2\frac{1}{6}}$	ft. B. 8	3 В 3 В	3.C	00 27.5 '5	0
	$\frac{2}{2}$ to	3	ft. B. 8	3 B	4.5	50	
	3 to	$3\frac{1}{2}$	ft. B. 8	3 B	3.0 3.7 4.5 6.0	00	
yodoga	wa. Yod	ogaw	a Azalea	1. 3'-4']	Double pir	nkish-lave	nder flowers
	in M We t	ay. (nave b	Zuite har een caref	dy and of	exception	al merit. he free-flo	Bushy habit. wering type.
	12 to	15	in. B. 8	3 B	3.0	0 27.5	
	15 to	18	in. B. 8	3 B	3.5	50 30.0 00 37.5	
	$1\frac{1}{2}$ to 2 ft.	. 4	В. &	» В В В	3.0 3.5 4.0 5.0	00 37.3 00	U
BENZOIN	aestivale	(Line	dera Be	nzoin).	Spice Bus	h. 10'-1	2' Flowers
	1½ to		ft	et berries,	7	'5 6.0	
	2^{2} to	3	ft		7 8 1.0	5 7.5	0 60.00
	3 to	4				00 8.5	0 75.00
BERBERIS		_					
gilgiana	The	cluster		ht yellow			een foliage. d by hand-
	1 to 1½ to	$\frac{1}{2}\frac{1}{2}$	ft		8 1.2	5 7.5 5 10.0	0
	, 2						
macraca							foliage and
	1 to	2		-			0
	2 to 3 to	3 4	ft. B. 8	В В	1.0 1.2 1.7	5 10.0 5	U
_0.1 11							1:-1
sieboldi	. Sievol when	your	r <i>verry.</i> 1g, vinou	<i>5 −4</i> 1 s red in aut	umn—bris	—ieaves p ght red fru	ourplish red it all winter.
					8		

	, J (ODD 11)	- 11111		
BERBERIS thunbergi. Japanes plant or for massir	g, brilliant autun	nn colorin	g, scarle	t berries.
Well graded bush:		Per 10 Pe	er 100 F	er 1000
12 to 15 in			15.00	100.00
15 to 18 in			20.00	150.00
1½ to 2 ft			30.00	200.00
2 to $2\frac{1}{2}$ ft	50		40.00	
				Per 100
— atropurpurea. Redleaf Ja				
bright reddish pur	ple foliage, sho	ould be pla	nted in	sun for
best color. Has s				
		.75	5.00	40.00
15 to 18 in	. D. C. D.	.85	7.50	50.00
	rimens B. & B. rimens B. & B.	2.50 3.00		
— minor. Box Barberry. 2 Used effectively as	small trimmed e	ompact Ja _l edging. H	ardy and	arberry. d useful.
		.40	3.50	25.00
		.50	4.00	35.00
		.60	5.00	40.00
		.75	6.00	
*BETULA alba. European Wh when grouped aga				
		1.75		100.00
			17.50	
8 to 10 ft		2.50		
— laciniata. Weeping Cutl	eaf. 30'-40' F	A graceful	lawn s	pecimen.
			17.50	
			27.50	
		3.75	35.00	
lenta. Sweet Birch. 40'-60 uous catkins in spi	' Has smooth :	reddish bar	k and	conspic-
		1.75	15.00	
			22.50	
	Thrives in n	noist place	s. The	charace
teristic torn ragged				
			17.50	125.00
			22.50	175.00
papyrifera. Paper or Canoo	Birch. 40'-50)' Picture		
			15.00	125.00
			22.50	175.00
bark becomes whi		ffective in	natural	oil. The
			15.00	
			22.50	175.00
			27.50	
BIGNONIA radicans. Trumpet shaped flowers, sc				
•		, .		20.00
		.40		
grandiflora. Chinese Trum				
on the common ty orange, yellow an	pe. The hands	ome iarge	ng effec	or vivid
			6.00	50.00
,		./3	0.00	30.00
BIOTA. See Evergreens, page 43	10 40.			

o DECIDOOUS TREES, SHROBS AND VINES	
Each Per 10 Per	
BUDDLEIA magnifica. Butterfly Bush. 5'-6' Very effective with gi	ay-
green foliage and deep lilac flowers. Likes sun. June-S	
2 yr	0.00
BUXUS. See Evergreens, page 31.	
CALLICARPA purpurea. Chinese Beautyberry. 3'-4' Attractive	in
August with its violet-lilac berries. Graceful branching ha	
	00.5
2 to 3 ft	0.00
CALLUNA. See Evergreens, page 31.	
CALYCANTHUS floridus. Common Sweet Shrub. 4'-5' Reddish-bro	wn
flowers, June-Sept. Spicy fragrance, good deep green foli	
	00.6
2 to 3 ft	0.00
CARPINUS betulus. European Hornbeam. 50'-60' Has thin beech	
foliage and steely-blue bark. Forms a splendid hedge.	лке
	.00
3 to 4 ft	
*caroliniana (americana). American Hornbeam. 30'-40'	Has
beech-like foliage and smooth blue-gray bark. Spring plant	ing.
*	.00
3 to 4 ft	
4 to 6 ft	
CARYOPTERIS incana (mastacantha). Bluebeard. 2'-3' Lavender-	olue
flowers, SeptOct. Splendid for massing. Requires protect	
	0.00
CATALPA bungei. Umbrella Catalpa. 10'-15' For formal plant	ing.
	.00
	.00
X Large Heads134 in. stems 2.25 20.00 175	.00
XX Large Heads2 in stems 3.50 27.50 225	.00
XXX Heads 4.00 35.00	
CEANOTHUS americanus. Jersey Tea. 2'-3' A most useful shrub	for
woodland fringes. White flowers freely produced in J	
	0.00
CELASTRUS orbiculatus. Oriental Bittersweet. 15'-20' The ora	nge
and scarlet fruits are freely borne in the axils of the leaves so are not so conspicuous as the American variety until lea	and
drop. This is the most desirable kind for winter decorat	ion.
	.00
scandens. American Bittersweet. 20'-25' Most adaptable vine v	vith
orange and red berries that retain color when cut and dr	ied.
The fruits are borne in clusters showing above the lear	ves.
	.00
3 yii, 2 to 3 it	.00
CEPHALANTHUS occidentalis. Button Bush. 5'-6' Round heads	of
creamy-white flowers, July-Sept. Good foliage, likes moistr	.00
2 to 3 ft	.00
CERASUS. See PRUNUS, page 20, 21.	
, r. o	

DECIDUOUS TREES, SHRUBS AND VINES 9
*CERCIDIPHYLLUM japonicum. Katsura Tree. 60'-80' Develops into a magnificent tree. Beautiful spring and autumn coloring.
2 to 3 ft
2 to 3 ft
chinensis (japonica). Chinese Redbud. 10'-12' Flowers larger and darker than above—best in rather moist soil. Good foliage.
1½ to 2 ft
CHAMAEDAPHNE. See Evergreens, page 31.
CHIONANTHUS virginica. White Fringe. 15'–18' Fragrant tassel-like white flowers, May–June. Blue-black plum-like fruits follow.
1½ to 2 ft
leaves turn brilliant yellow in autumn.
2 to 3 ft
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$
July Sept. Prefers moist shady places—good for massing.
$\begin{array}{cccccccccccccccccccccccccccccccccccc$
COLUTEA arborescens. Bladder Senna. 8'-10' Yellow flowers, June-Aug. Useful for dry places—inflated seed pods often colored.
2 to 3 ft
CORNUS alba (sibirica.) Coral Dogwood. 8'-10' Bright red bark. Porcelain-blue fruits—quick grower, useful for winter effect.
2 to 3 ft 40 350 2500
3 to 4 ft
alternitolia. Pagoda Dogwood. 15'-18' Branches grow in irregular horizontal tiers making deep shadow effects. Blue-black fruit.
1½ to 2 ft
amomum (sericea.) Silky Dogwood. 8'-9' Pale blue fruits—young twigs purple. Prefers moist places, has creamy white flowers.
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$

10	DEC	טעונ	003	TREES, SHRUBS	S AND V	INES	
					Each	Per 10) Per 100
CORNUS				owering Dogwood	l. 15'–25'	Among	the best of
				flowering small tre	-		
	_	to 3				7.50 12.50	65.00 100.00
		to 4 to 5			2.50	20.00	175.00
		to 6				30.00	250.00
	_	to 8			4.00	37.50	325.00
— rul	bra. Re	d Fl	oweri	ing Dogwood. 18	5'-20' Th	e pink fl	owers are
		to 3		B. & B		30.00	250.00
	_	to 4		B. & B.		45.00	375.00
		to 5		B. & B		70.00	600.00
	_	to 6	ft.	В. & В	12.50	100.00	
	-	to 8		B. & B		150.00	
kousa	. Kous	a Do	gwoo cher	d. 16'-18' Large	white flow	wers in J e to bird	une. Con- s—scarce.
		to 3				12.50	100.00
		to 4			2.25	17.50	150.00
mas.	Cornel	ian	Cherr	y. 15'-18' Hand	dsome lar	ge shru	b. Small
	yel	low f	lower	s in April, large fl	eshy scarle	t fruits in	autumn.
		to 3	ft.		1.50	10.00 12.50	
panic	ulata. (in	Gray May,	faller	wood. 10'-12' N wed by white fruits	on rad star	mall whi ns—likes	te flowers moisture.
	11/2	-	ft.	wed by write fruits	.50		35.00
	2	to 3	ft.		.60	5.00	40.00
	3	to 4	ft.		.80	7.50	60.00
stolor	nifera. i wł	Red ()sier .	Dogwood. 7'-8' Grows vigorously	Spreading	habit, ds, very	red bark, adaptable.
stolor	wł	Red (nite fr	osier uits. (Dogwood. 7'-8'	Spreading in low land	habit, ds, very 2.50	red bark, adaptable. 20.00
stolor	wh 1½ 2	Red (nite fr to 2 to 3	osier . uits. (ft. ft.	Dogwood. 7'–8' Grows vigorously	Spreading in low land .35 .40	ds, very 2.50 3.50	20.00 25.00
stolor	wh 1½ 2 3	Red (nite from to 2) to 3 to 4	Osier uits. (ft. ft. ft.	Dogwood. 7'-8' Grows vigorously	Spreading in low land .35 .40 .50	ds, very 2.50 3.50 4.00	adaptable. 20.00
	wh 1½ 2 3 4	Red (nite from to 2) to 3 to 4 to 5	Osier uits. (ft. ft. ft. ft.	Dogwood. 7'-8' Grows vigorously	Spreading in low land .35 .40 .50 .85	2.50 3.50 4.00 7.50	adaptable. 20.00 25.00 35.00
stolor — lut	wh 1½ 2 3 4	Red (nite from to 2) to 3 to 4 to 5 olden	Osier uits. (ft. ft. ft. Bar	Dogwood. 7'-8' Grows vigorously	Spreading in low land .35 .40 .50 .857' Disti	ds, very 2.50 3.50 4.00 7.50 nct yell	20.00 25.00 35.00 ow bark.
	wh 1½ 2 3 4 tea. Go Eff 1½	Red (nite from the from 2 to 3 to 4 to 5 olden fective 2	osier duits. () ft. ft. ft. ft. Barre in v	Dogwood. 7'-8' Grows vigorously k Dogwood. 6' winter when plan	Spreading in low land .35 .40 .50 .857' Distited with p	ds, very 2.50 3.50 4.00 7.50 nct yell receding. 2.50	adaptable. 20.00 25.00 35.00 ow bark. 20.00
	wh 1½ 2 3 4 sea. Go Effi 1½ 2	Red (nite from to 2 to 3 to 4 to 5 olden fective to 2 to 3	osier uits. (ft. ft. ft. ft. ft. Barre in v ft. ft. ft.	Dogwood. 7'-8' Grows vigorously k Dogwood. 6' winter when plan	Spreading in low land .35 .40 .50 .85 .47 Distited with p .35 .40	ds, very 2.50 3.50 4.00 7.50 nct yell receding. 2.50 3.50	adaptable. 20.00 25.00 35.00 ow bark. 20.00 25.00
— lut	wh 1½ 2 3 4 tea. Go Eff 1½ 2 3	Red (nite from the fr	Osier uits. (ft. ft. ft. Barie in v ft. ft. ft. ft.	Dogwood. 7'-8' Grows vigorously k Dogwood. 6' winter when plan	Spreading in low land .35 .40 .50 .85 .47 Distited with p .35 .40	ds, very 2.50 3.50 4.00 7.50 nct yell receding. 2.50	adaptable. 20.00 25.00 35.00 ow bark. 20.00
— lut	wh 1½ 2 3 4 4 4 4 6 Eff 1½ 2 3 4 4 5 5 6 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6	Red (nite from the fr	Sier uits. (ft. ft. ft. Barre in v ft.	Dogwood. 7'-8' Grows vigorously k Dogwood. 6' winter when plan greens, page 31.	Spreading in low land .35 .40 .50 .85 .47 Distited with p .35 .40 .50	2.50 3.50 4.00 7.50 nct yell receding. 2.50 3.50 4.00	adaptable. 20.00 25.00 35.00 ow bark. 20.00 25.00 35.00
— lut	wh 1½ 2 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	Red (nite from to 2 to 3 to 4 to 5 olden fective to 2 to 3 to 4 . See ekin	Sier uits. Of ft. ft. ft. ft. Barre in v ft.	Dogwood. 7'-8' Grows vigorously k Dogwood. 6' winter when plan	Spreading in low land 35 .40 .50 .85 .47 Distited with p .35 .40 .50 .50	ds, very 2.50 3.50 4.00 7.50 nct yell receding. 2.50 3.50 4.00	adaptable. 20.00 25.00 35.00 ow bark. 20.00 25.00 35.00
— lut	wh 1½ 2 3 4 4 6 Eff 1½ 2 3 7 8 STER. olia. Pobla 1½ 1½ 1½ 1½ 1½ 1½ 1½ 1½ 1½ 1½ 1½ 1½ 1½	Red (nite from the fective states of the sta	Sier uits. (ft. ft. ft. Barre in v ft.	h Dogwood. 6'-winter when plan greens, page 31. measter 8'-10' S Very hardy. A ge	Spreading in low land 35 .40 .50 .85 -7' Distited with p .35 .40 .50 .50 Slender spood hedge .75	2.50 3.50 4.00 7.50 nct yell receding. 2.50 4.00 reading plant. 5.00	adaptable. 20.00 25.00 35.00 ow bark. 20.00 25.00 35.00
— lut COTONE acutif	wh 1½ 2 3 4 Gea. Go Effi 1½ 2 3 3 ASTER. olia. Pola 1½ 2 2 1½ 2 2 3 Colia. Pola 1½ 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Red (nite from the fr	Sier uits. (ft. ft. Bar; in v ft. ft. c Ever Coton its. ft. // ft.	k Dogwood. 6'- winter when plan greens, page 31. measter 8'-10' S Very hardy. A ge	Spreading in low land 35 .40 .50 .85 -7' Distited with p .35 .40 .50 .50 Slender spood hedge .75 .85	2.50 3.50 4.00 7.50 nct yell receding. 2.50 3.50 4.00 reading plant. 5.00 7.50	adaptable. 20.00 25.00 35.00 ow bark. 20.00 25.00 35.00 branches, 40.00
— lut COTONE acutif	wh 1½ 2 3 4 dea. Go Efti 1½ 2 3 ASTER. olia. Po bla 1½ 2	Red (nite from the first to 2 to 3 to 4 to 5 to 4 to 5 to 2 to 4 to 2 to 2 to 2 to 2 to 2 to 2	Sier uits. Of ft. ft. ft. Bar; in v ft. ft. c Ever Coton its. ft. ½ ft. in.) urning	bogwood. 7'-8' Grows vigorously k Dogwood. 6' winter when plan greens, page 31. measter 8'-10' Very hardy. A go 5'-6' Graceful are brilliant colors in a	Spreading in low land 35 .40 .50 .85 .40 .50 .50 .50 .50 .50 .50 .50 .50 .50 .5	2.50 3.50 4.00 7.50 net yell receding. 2.50 3.50 4.00 reading plant. 5.00 7.50 t, large of	adaptable. 20.00 25.00 35.00 ow bark. 20.00 25.00 35.00 branches, 40.00 lark green
— lut COTONE acutif	wh 1½ 2 3 4 4 4 4 6 6 6 6 1½ 2 5 6 6 6 1½ 2 6 1½ 2 1½ 2 7 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	Red (inte fr to 2 to 3 to 4 to 5 blden fective to 2 to 3 to 4 . See ekin ck fru to 2	Sier uits. (ft. ft. ft. ft. Barie in v ft.	h Dogwood. 7'-8' Grows vigorously k Dogwood. 6' winter when plan greens, page 31. neaster 8'-10' Very hardy. A go	Spreading in low land .35 .40 .50 .85 .40 .50 .50 .50 .50 .50 .50 .50 .50 .50 .5	2.50 3.50 4.00 7.50 nct yell receding. 2.50 3.50 4.00 reading plant. 5.00 7.50 t, large of	adaptable. 20.00 25.00 35.00 ow bark. 20.00 25.00 35.00 branches, 40.00 lark green
— lut COTONE acutif	wh 1½ 2 3 4 dea. Go Effi 1½ 2 3 ASTER. olia. Polia. 1½ 2 ana (appropriate lear 1½ 2	Red (inte fr to 2 to 3 to 4 to 5 liden fective to 2 to 4 . See to 2 to 2 to 2 to 2 to 2 to 3 to 4 . See to 2 to 3 to 4 . See to 2 to 3	Osier ft.	Dogwood. 7'-8' Grows vigorously k Dogwood. 6' winter when plan greens, page 31. neaster. 8'-10' Very hardy. A go 5'-6' Graceful are brilliant colors in a	Spreading in low land 35 .40 .50 .85 .40 .50 .50 .50 .50 .50 .50 .50 .50 .50 .5	2.50 3.50 4.00 7.50 net yell receding. 2.50 3.50 4.00 reading plant. 5.00 7.50 t, large of	adaptable. 20.00 25.00 35.00 ow bark. 20.00 25.00 35.00 branches, 40.00 lark green
— lut COTONE acutif	wh 1½ 2 3 4 Gea. Go Effi 1½ 2 3 3 ASTER. colia. Plate 1½ 2 2 2 2 2 2 2 2 2 2 2 2 2 3 1½ 2 2 3 5 5 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	Red (nite from the first from the first from the first from the from the first fr	Osier uits. (ft.	Dogwood. 7'-8' Grows vigorously k Dogwood. 6' winter when plan greens, page 31. neaster. 8'-10' Very hardy. A go 5'-6' Graceful are brilliant colors in a	Spreading in low land 3.35 .40 .50 .85 .40 .50 .50 .50 .50 .50 .50 .50 .50 .50 .5	2.50 3.50 4.00 7.50 nct yell receding. 2.50 3.50 4.00 reading plant. 5.00 7.50 t, large of	adaptable. 20.00 25.00 35.00 ow bark. 20.00 25.00 35.00 branches, 40.00 lark green
— lut COTONE acutif	wh 1½ 2 3 4 4 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	Red (inite from the content of the c	Osier uits. (ft.	bogwood. 7'-8' Grows vigorously k Dogwood. 6' winter when plan greens, page 31. neaster 8'-10' Very hardy. A go 5'-6' Graceful are brilliant colors in a	Spreading in low land 35 .40 .50 .85 .40 .50 .50 .50 .50 .50 .50 .50 .50 .50 .5	2.50 3.50 4.00 7.50 net yell receding. 2.50 3.50 4.00 reading plant. 5.00 7.50 t, large of Scarlet be 7.50 10.00	adaptable. 20.00 25.00 35.00 ow bark. 20.00 25.00 35.00 branches, 40.00 lark green erries. 85.00 75.00
— lut COTONE acutif	wh 1½ 2 3 4 4 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	Red (inite fr to 2 to 3 to 4 to 5 lden fective to 2 to 3 to 4 to 4 to 2 to 2 to 2 to 2 to 3 ff	Osier uits. (ft.	bogwood. 7'-8' Grows vigorously k Dogwood. 6' winter when plan greens, page 31. neaster 8'-10' Very hardy. A go 5'-6' Graceful art brilliant colors in a	Spreading in low land .35 .40 .50 .85 .40 .50 .50 .50 .50 .50 .50 .50 .50 .50 .5	2.50 3.50 4.00 7.50 net yell receding. 2.50 3.50 4.00 reading plant. 5.00 7.50 t, large of Scarlet be 7.50 10.00 8.50 12.50 g branche	adaptable. 20.00 25.00 35.00 ow bark. 20.00 25.00 35.00 branches, 40.00 lark green cries. 85.00 75.00 es densely
— lut COTONE acutif	wh 1½ 2 3 4 Gea. Go Effi 1½ 2 3 ASTER. Olia. P. bla 1½ 2 2 anna (appress 1½ 2 3 4 1½ 2 5 5 1 5 5 1 5 5 5 5 5 5 5 5 5 5 5 5 5	Red (interfret to 2 to 3 to 4 to 5 lden fective to 2 to 3 to 4 Seekin ck fru to 2 to 2 to 3 ft	Osier uits. (ft.	Dogwood. 7'-8' Grows vigorously k Dogwood. 6' winter when plan greens, page 31. neaster. 8'-10' Very hardy. A ge 5'-6' Graceful are brilliant colors in a	Spreading in low land 35 .40 .50 .85 .40 .50 .50 .50 .50 .50 .50 .50 .50 .50 .5	2.50 3.50 4.00 7.50 net yell receding. 2.50 3.50 4.00 reading plant. 5.00 7.50 t, large of Scarlet be 7.50 10.00 8.50 12.50 g branche	adaptable. 20.00 25.00 35.00 ow bark. 20.00 25.00 35.00 branches, 40.00 lark green cries. 85.00 75.00 es densely
— lut COTONE acutif	wh 1½ 2 3 4 Gea. Go Eff 1½ 2 3 ASTER. Olia. P. bla 1½ 2 2 anna (app lea 1½ 2 3 4" 1 5 5" 1 stu in	Red (Chite from to 2 to 3 to 4 to 5	Osier uits. (ft.	Dogwood. 7'-8' Grows vigorously k Dogwood. 6' winter when plan greens, page 31. neaster. 8'-10' Very hardy. A ge 5'-6' Graceful are brilliant colors in a coneaster. 5'-6' Lo clusters of white fl handsome shrub.	Spreading in low land 35 .40 .50 .85 .40 .50 .50 .50 .50 .50 .50 .50 .50 .50 .5	2.50 3.50 4.00 7.50 not yell receding. 2.50 3.50 4.00 reading plant. 5.00 7.50 t, large of Scarlet be 7.50 10.00 8.50 12.50 g branch, May. R	adaptable. 20.00 25.00 35.00 ow bark. 20.00 25.00 35.00 branches, 40.00 lark green cries. 85.00 75.00 es densely
— lut COTONE acutif	wh 1½ 2 3 4 4 6ea. Go Effi 1½ 2 3 3 4 8STER. olia. Pola 1½ 2 2 2 4 1½ 5" 1 1 1 1 2 1 1 2 1 1 2 1 1 2 1 1 1 2 1 1 1 1 2 1	Red (Chite from to 2 to 3 to 4 to 5	Osier uits. (ft.	Dogwood. 7'-8' Grows vigorously k Dogwood. 6' winter when plan greens, page 31. neaster. 8'-10' Very hardy. A ge 5'-6' Graceful are brilliant colors in a	Spreading in low land 35 .40 .50 .85 .40 .50 .50 .50 .50 .50 .50 .50 .50 .50 .5	2.50 3.50 4.00 7.50 net yell receding. 2.50 3.50 4.00 reading plant. 5.00 7.50 t, large of Scarlet be 7.50 10.00 8.50 12.50 g branche	adaptable. 20.00 25.00 35.00 ow bark. 20.00 25.00 35.00 branches, 40.00 lark green cries. 85.00 75.00 es densely

			Е	Each I	Per 10 1	Per 100
f	arching br followed b	anches, lustrou y handsome r	ling Coton is dark gree ed fruits fre	easter. n leave	5'-6' s. Pink luced.	Slender
2 4" 5"	pots	ftft		1.75 1.25 1.75	10.00 15.00 10.00 15.00	85.00 125.00
		nching shrub.			aves, red 8.50	fruits. 75.00
For other Co	OTONEA:	STER see page	31.			
*CRATAEGUS		Carrier Haw nes. Rather lar				
3 4 5	to 4 to 5 to 6	ftft		2.25 2.50	22.50 27.50	
coccinea.	Thicket He spines, oval	awthorn. 10' shiny leaves,	-12' Shru' large white	bby hal flowers	bit, large , dull rec	curved fruits.
3 4	to 4 to 5	ftft			15.00 25.00	125.00 200.00
cordata. W	Vashington persist near	Hawthorn. ly all winter.	15'-20' Brilliant au	Berries : tumn fo	small, bri oliage.	ght red,
3 4 5 6	to 4 to 5 to 6 to 8	ftftft		1.75 2.50 3.50	15.00 22.50 25.00 35.00	125.00 175.00 200.00
ŀ	nawthorn.	Thorn. 15' Conspicuous v	hite flowers	s, red fru	iits. Long	stinctive g thorns.
2 3	to 3 to 4	ftft.		2.00	10.00 17 . 50	150.00
		vthorn. 15'				
2 3 4 5	to 3 to 4 to 5 to 6	ftft			10.00 15.00 22.50	85.00 125.00
oxycantha (Monogyna	a.) English I	lawthorn.	12'-13	5' Single	white.
2 3 4 5	to 3 to 4 to 5 to 6	ftft		.75 1.00 1.50 2.00	6.00 8.50 12.50 17.50	40.00 75.00
— Double V	White or	Double Pink	. Double	Flower	ing Har	vthorn.
2 3 4	to 3 to 4 to 5	ftft			12.50 17.50 22.50	
— Paul's S		2'-15' Very do				
2 3 4	to 3 to 4 to 5	ft ft ft			10.00 15.00 22.50	85.00 125.00
	forming a	flat topped trees and dull; som	. The spir	nes are s	short: flov	wers are
2 3	to 3 to 4	ftft			10.00 15.00	

12 DECID	UOUS TREES, SHRUBS A	ND VI	NES	
CRYPTOMERIA.	See Evergreens, page 34.	Each	Per 10	Per 100
CYDONIA japonica.	Flowering Quince. 4'-5'	Scarlet	flowers	in April.
1 to	1½ ft	<i>4</i> 0	3.50	25.00
$1\frac{1}{2}$ to		50	4.00	35.00
2 to		.75	6.00	50.00
$2\frac{1}{2}$ to		.85	7.50	
	greens, page 34.			
DESMODIUM See	LESPEDEZA, page 15.			
DEUTZIA gracilis.	Slender Deutzia. 3′ Profuse b	loomer,	pure wh	
15 to		.50	3.50	25.00
$\frac{1\frac{1}{2}}{2}$ to	2 ft	.60	4.00	35.00
		.75	6.00	50.00
	oine Deutzia. 4'–5' Large wh			
2 to	3 ft	.50	4.00	35.00
parviflora. Mon	ngolian Deutzia. 4'–5' Erec	t habit.	White v	with pink
	ings. Very free flowering—Ju			nd useful.
$\frac{1\frac{1}{2}}{2}$ to 2		.50 .60	4.00 5.00	
$\frac{2}{2}$ to	3 ft	.75	6.00	
— crenata. 6'-			Lhorder	
			2.50	
$1\frac{1}{2}$ to 2 to		.40	3.50	
3 to		.50	4.00	
4 to	5 ft	.75	6.00	
	f Rochester. 9'–10' Vigore June.	ous, lar	ge flowe	er tinged
$1\frac{1}{2}$ to	2 ft	.40	3.50	
2 to	3 ft	.50	4.00	
3 to	4 ft	.60	5.00	40.00
DIERVILLA trifida. low s	Dwarf Bush Honeysuckle. 3 Shrub for shady places. Brancl	nlets are	, June–Ju round, n	aly; good o ridges.
1 to	1½ ft	.50	4.00	
$1\frac{1}{2}$ to 2 to	1½ ft 2 ft 2½ ft	.85	7.50 8.50	50.00
ELAEAGNUS angu	ustifolia. Russian Olive. 1 Dranches, orange berries. Good	5'-18'	Silver gr	ay leaves
2 to	3 ft	.50	4.00	erers surr.
3 to	4 ft	.75	5.00	
longipes. Cher flowe	ry Eleagnus. 6'–8' Silvery rs, May. Large red berries, Ju	leaves,	fragran od for li	t yellow mestone.
$1\frac{1}{2}$ to	2 ft	.85	7.50	
2 to	3 ft	1.00	8.50	
3 to	4 ft	1.25		
EUONYMUS alatus.	Winged Euonymus. 9'–10 n crimson autumn coloring, m	lntere akes fine	esting cor	ky bark. en shrub.
$1\frac{1}{2}$ to	2 ft	.75	6.00	40.00
2 to	3 ft	.85	7.50	60.00
3 to 4 to	4 ft 5 ft	1.25 1.75	10.00	75.00
4 to	5 ft	1.73		

	DEC	JOL	JOU:	S TREES, SHRUBS	and v	INES	13				
					Each	Per 10	Per 100				
EUONYMUS			anus. place	. Brook Euonymus.	7'-8'	Pink fruit	ts, prefers				
	$1\frac{1}{2}$	to		ft	.60	4.00	35.00				
	2	to		ft		6.00	40.00				
	3	to	4	ft	1.00	7.50	60.00				
europae	us. ba	Eur ark	opea: and	n Burning Bush. light green leaves w	12'-14' ith good	Pink frui autumn	ts, green				
	11/2		2	ft		4.00	35.00				
	2	to	3	ft		6.00	40.00				
	3	to	4	ft	.85	7.50					
For Evergreen EUONYMUS see page 32.											
EXOCHORE	A g	ran		a. Pearl Bush. 6'-							
		lay.		mproved by annual pr	runing—1	prefers a n					
	2	to		ft		3.50	25.00				
	3	to	4 5	ft	.70 .85	5.00 7.50	35.00 50.00				
	4	to	3	ft	.03	7.30	30.00				
FORSYTHIA	A in	tern owe	nedia rs in	. Border Golden l April before leaves un	Bell. 6'- fold—pro	-8′ Brigh ofuse and	t yellow beautiful.				
	11/2	to	2	ft	.40	3.50	25.00				
	2	to		ft	.50	4.00	35.00				
	3	to		ft	.75	5.00	40.00				
	4	to	5	ft	.85	7.50	60.00				
- spect				y Border Golden Bel rge rich golden yellow							
	11/2	to	2	ft	.50	4.00	35.00				
	2	to					40.00				
	3	to	4	ftft	.85	7.50	50.00				
	4	to	5	ft	1.00	8.50	75.00				
suspensa	ı. V	Veep	oing ent fo	Golden Bell. 4'-6' or massing, banks, or h	Gracef	ul droopii over retaini	ng habit,				
		to		ft			35.00				
	2	to		ft		5.00	40.00				
	3	to	4	ft	.85	7.50	50.00				
	4	to	5	ft	1.00	8.50	75.00				
viridissir				tem Forsythia. 7'-8'							
		to	2	ft			25.00				
	2	to	3	ft		4.00	35.00				
	3	to	4	ft	.75	5.00					
FRAXINUS	pl	leasii	ng go	White Ash. 70'–80' Falden tones in autumnales a splendid street tree	. Good	in moist	and lime				
	8	to	9	ft			in nunk.				
	9	to		ft., 1½ to 1½ in.	2.50		200.00				
	10	to	12	ft., 1½ to 1½ in.	3.50		275.00				
	10	to	12	ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in. ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in. ft., $1\frac{3}{4}$ to 2 in.	4.00						
GINKGO bil	oba.	(SA	ALIS.	BURIA). Maidenhai	r Tree. 5	5 <i>0'-75'</i> Pic					
	in	tere	sting,	quite distinct. Leav	ves shap	ed like m	aidenhair				
		rn.		nune from insects—th			onditions.				
	6	to	8	ft							
	8	to	10	ft., 11/4 in	5.00	45.00					

14 DECIDUOUS TREES, SHRUBS AND VINES
Each Per 10 Per 100 GLEDITSIA triacanthos. Honey Locust. 60'-70' Light green gracefu foliage. Has three-pointed stiff thorns—fragrant flowers in
May. Excellent for city. 4 to 6 ft
GYMNOCLADUS dioica. Kentucky Coffee Tree. 40'-50' Picturesque 4 to 6 ft 1.75
HALESIA tetraptera. Great Silver Bell. 12'–15' Snow-white bell-shaped flowers in May profusely borne on branchlets—can be grown as single specimen or massed. Decorative brown winged fruits
1½ to 2 ft
HAMAMELIS vernalis. Vernal Witch Hazel. 5'-6' The earliest to flower, generally about February. The light yellow flowers are delightfully fragrant. A neat shrub.
2 to 3 ft
virginiana. Witch Hazel. 10'-12' Yellow, ribbon-like flowers, Oct Nov. Good foliage. Best in moist half-shady location.
1½ to 2 ft
HIBISCUS syriacus (ALTHEA). Rose of Sharon. 10'-12' Rather formal in outline, flowering freely in August. Compact upright habit. Red—White—Purple—Pink.
3 to 4 ft
variegata. Variegated Rose of Sharon. 6'-8' Striped leaves.
12 to 18 in
1½ to 2 ft
3 to 4 ft
HYDRANGEA arborescens grandiflora. Snow Hill Hydrangea. 4'-5' Large heads, pure white in July and Aug. Best when pruned severely each year. We have a particularly fine type.
1½ to 2 ft
paniculata. Panicle Hydrangea. 8'-9' Large loose panicles of white
flowers, August. A graceful, desirable shrub, best in mass. 2 to 3 ft
— grandiflora. Peegee. 8'-9' Very showy large blooms, August-Sept.
1½ to 2 ft
—— STANDARD TREE FORM. Flowers similar to bush form. First class, 3 to 4 ft
quercifolia. Oak Leaf Hydrangea. 3'-4' Large leaves shaped like
an oak leaf. Splendid autumn coloring—succeeds in shade. 1½ to 2 ft

DECIDUOUS TREES, SHRUBS AND VINES 1.5 Each Per 10 Per 100 HYPERICUM aureum. Golden St. Johnswort. 3'-4' Yellow, July-Aug. Bluegreen foliage, dense habit, effective on margin of shrubbery. 1½ to 2 ft..... .60 5.00 40.00 to 2½ ft75 6.00 50.00 buckleyi. Dwarf St. Johnswort. 1' Good for border & rock work, yellow. 1.00 8.50 2 yr..... 75.00 ILEX verticillata (PRINOS). Winterberry. 6'-8' Bright red berries persisting to mid-winter. Not eaten by birds-prefers moist soil. 15 to 18 in..... .50 3.50 25.00 .65 .85 5.00 40.00 7.50 60.00 For other ILEX see page 33. ITEA virginica. Sweetspire. 3'-4' Spikes of fragrant white flowers, July. Good for low places; brilliant autumn coloring. to 2½ ft..... JASMINUM nudiflorum. Winter Jasmine, 3' Bright yellow, April-May. 2 yr...... .65 5.00 40.00 JUNIPERUS. See Evergreens, pages 33-36. KALMIA. See Evergreens, page 37. KERRIA japonica. Japanese Kerria. 4'-5' Single golden yellow, June-Sept. Green branches useful for winter effects. Graceful habit. ft..... .85 7.50 - flore pleno. Double Japanese Kerria. 4'-5' Desirable double flowering form. Stronger growth and blooms more profusely. 7.50 60.00 to 3 ft..... 1.00 8.50 3 to 4 ft..... 1.25 KOELREUTERIA paniculata. Varnish Tree. 25'-30' Has clusters of bright yellow flowers, July—a valuable small tree of irregular outline. ft 1.00 8.50 75.00 4 ft..... 1.25 10.00 85,00 to 1.75 15,00 to ft..... KOLKWITZIA amabllis. Beautybush. 6'-7' Develops into a handsome shrub of graceful habit. The funnel-shaped pink flowers are borne profusely after thoroughly established. Very hardy. 8.50 $1\frac{1}{2}$ to 2 1.00 LABURNUM vulgare. Golden Chain. 20'-25' Handsome golden yellow flowers in June. A useful small tree-best in protected places. to 3 ft..... 1.00 LESPEDEZA formosa (Desmodium penduliflorum). Purple Bush Clover. 3'-4' Rosy purple flower conspicuous in Sept. Attractive. 3.50 25.00 3 .65 yr..... 5.00 35.00 I

LEUCOTHOE. See Evergreens, page 37.										
LIGUSTRUM a	amure	nse.	Amur Privet. 14'-15'	Half-everg	green, ver	y hardy.				
	The t	nost	dependable form for sev	ere climat	es. Black	berries.				
13	$\frac{1}{2}$ to	2	ft	.25	2.00	15.00				
2	to	3	ft	.35	2.50	20.00				
3	to	4	ft	.40	3.50	25.00				
4	to	5	ft	.60	5.00	35.00				

16	DECIDUOUS TR	REES, SHRUBS	AND VIN	ES
LIGUSTRU.	M ibota regelianui Makes a splend evergreen plantir	id low dense h	eading Regal	in shrubbery or
	$\frac{2}{2\frac{1}{2}}$ to $\frac{2\frac{1}{2}}{2}$ ft		.50 .60	3.50 4.00 5.00 35.00 40.00
ovalifoli	um. California Pr This is nice bush	rivet. 9'-10' v stock.	Most popula Per 10 Per	ır hedge plant. 100 Per 1000
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.00 1.50 2.00	6.00 40.00 8.00 60.00 2.00 80.00 5.00
GL	OBE FORM.		Each P	er 10 Per 100
		diam., B. & B.		2.50 100.00
		diam. B. & B. diam. B. & B.		7.50 125.00 2.50 175.00
DV	, 2	ulaili. B. G B.	2.30 2	2.30 173.00
PI	RAMIDS— 2 ft 2½ ft			5.00
LINDERA.	See Benzoin, page	6.		
	6 to 8 ft 8 to 10 ft 10 to 12 ft	Has corky b	ark and star-s Succeeds in 3.00 2 4.00 3 5.00 4 6.00	shaped leaves—swampy places. 7.50 225.00 7.50 325.00 0.00
*LIRIODEN	ORON tulipifera. The yellow tulip- flat topped leaves	like flowers are	produced in	June—peculiar
	8 to 10 ft	½ to 1½ in. ½ to 1¾ in. ¼ to 2 in.	2.50 2 3.50 2 4.00 3	7.50 2.50 7.50 225.00 7.50 325.00 0.00
LONICERA	belgica. Dutch W glaucous beneath. 2 yr	Fragrant crea	amy flowers,	purple outside. 6.00 50.00
fragranti	April–May. Hal 2 to 3 ft	oneysuckle. 6'- lf-evergreen—gr	.50	white flower, lrooping habit.
— hallia	na. Hall Japanes vine, blooms free 2 yr		agrant. Alm	quick-growing nost evergreen. 3.50 25.00
heckrott	. Everblooming F outside, yellow in 2 yr2	side, July-Sept.	Free-flower	ers purple-rose ing bushy vine. 5.00

	Each Per 10 P	er 100
LONICERA	enryi. Henry Honeysuckle. Almost evergreen, quick g vine. Red flowers. Thick shiny foliage.	rowing
	2 yr	
korolkov	i floribunda. Blueleaf Honeysuckle. 8'-10' Has	distinct
	blue-gray leaves and delicate pink flowers followed	by red dsome.
	12 to 18 in	40.00 50.00
maacki j	odocarpa. Late Honeysuckle. 8'-9' Smaller pinkish f better fruit than preceding, leaves and berries more per	lowers, sistent.
	1½ to 2 ft	25.00 35.00 40.00
pileata.	See Evergreens, page 37.	
tatarica.	Tatarian Honeysuckle. 9'-10' Pink flowers, scarle freely produced. A most adaptable shrub. Pink or 5 to 4 ft	White.
41.:1.04:00		35.00
thibetica	fragrant purple flowers. Handsome little shrub for r	ockery.
	12 to 18 in	40.00
LVCIIIM ab	nensis. Matrimony Vine. 10'–12' Violet flowers in	
LICIOM CI	followed by bright red fruits. For banks or retaining	g walls.
	3 to 4 ft	35.00
MAGNOLIA	glauca. Sweet Bay. 15'-20' Delightfully fragrant f May, glaucous leaves nearly evergreen, prefers moist to	
	$1\frac{1}{2}$ to 2 ft., B. & B 3.00 27.50	Cation,
	2 to 3 ft., B. & B	
parviflor	. Oyama Magnolia. 15'-20' Deliciously fragrant f white with crimson stamens. A particularly handsom	lowers,
		e rorm.
	2 to 3 ft., B. & B. 9.00 75.00 3 to 4 ft., B. & B. 12.00 110.00 4 to 5 ft., B. & B. 16.00	
soulange	na. Saucer Magnolia. 15'–18' Large purplish pi	nk and
00	white flowers in May. Best transplanted in early	spring.
		500.00 850.00
	4 to 5 ft., B. & B	
— nigra	Purple Lily Magnolia. The very deep wine-colored are quite distinct as are the shiny leaves.	flowers
	2 to 3 ft., B. & B 9.00 75.00	
	3 to 4 ft., B. & B	
— norb	ctiana. Norbert Magnolia. This is the last one to flooring and invariably escapes frost injury. The flow	ower in vers are
	somewhat smaller than type, but freely produced. 2 to 3 ft., B. & B	
	3 to 4 ft., B. & B	
	4 to 5 ft., B. & B	

					Each	Per 10	Per 100
MAGNOLIA	proc	luced his va	in summer, riety.	after the s	pring page	listinct den occasion ant, is cha	ep green nal flower nracteristic
	4 to 5 to	6	ft., B. & I	B 3	20.00		
stellata.		Mag ole w	nolia. 8' hite flower	-10' Spr s appear	eading ha long befo		ant semi- expand.
	2 to 2½ to 3 to 4 ft	3 4	ft., B. & ft., B. & ft., B. & l& &	B 3	15.00 17.50	110.00 135.00	
tripetala			a Magnol Large leave		40' Larg		
	4 to		ft. B. & I	B B	3.50	30.00 35.00	
MAHONIA.	See E	vergre					
MALUS arno			nold Crab. good compa		Pink buds	expanding	to white
	2 to 3		_			8.50 10.00	
	4 to					10.00	
atrosang	_		mine Crab			wers free	ly borne. 75.00
	2 to 3	-				8.50 10.00	75.00
	4 to	5	_	-	1.75	12.50	
	5 to 6	_	ft ft			17.50	
floribund	la. Ja	panes	se Floweri	ng Crab.	12'-15'		covered
		-	k buds and				d fruits. 75.00
	2 to 3					8.50 10.00	85.00
	4 to	_	ft			12.50	05.00
halliana			Parkman tiny roses	Crab. 1	2'–15' Do ems. Gro	ouble pink ws rather	flowers slowly.
	3 to		_			17.50	
	4 to 5		ftft				
ioensis p	lena.	Bechters or	el Crab. 1 1 long stalks	0'-15' La	rge double	pure pinl —last to f	k fragrant
	2 to	_			.85	7.00	50.00
	3 to		_			10.00	75.00
	4 to 5 to		ft			15.00 17.50	100.00
prunifoli		inese e flov	Apple.	1 <i>2'-15'</i> I	Large red	or yello	w fruits,
	3 to 4		ft ft			12.50 17.50	
sargenti.			rab. 5'-6'				d dwarf.
	Sma	ll sca	rlet fruits	hang on	almost till	spring.	Distinct.
	2 to		ft			17.50	
	3 to 4 to		ft ft		2.50 3.00	22.50	

	220			,, 5	D 111 1D	7 11 4		
								Per 100
MALUS sch	eidecl	keri. Sc	heidecker (Crab. 10'-	15' Doub	ole pinl	k lasting	flowers.
			low fruits-					al heads.
	2	to 3	ftft].	25	10.00	
spectabi			e Flowerin sweet scent		10'-15'	Beaut	iful dou	ıble pink
	2	to 3	ft ft		1.	25	10.00	
	3	to 4	ft		1.	75	12.50	
MORUS alb	a per	ıdula.	Tea's We	eping Mu	lberry.	8'-10)′	
	Medi	ium G	rade, 1 ye Heads, 2 ye 3 y	ear heads.	2.:	25	17.50	150.00
	First	Class I	Heads, 2 y	ear heads .	3	50 :	25.00	200.00
	Extra	a,	3 у	ear heads .	4.	00	35.00	300.00
MYRICA ca	roline	ensis (cerifera).	Northern	ı Baybei	rry.	4'-5' Do	oes well
	in	poor gr	avelly soil.	Gray wa	axy berrio	es pers	isting al	l winter.
	12	to 15	in in ft			60	5.00	35.00
	15	to 18	3 in			75	6.00	40.00
OXYDENDI	RUM w	arbore hite flo	eu m. Sou wers–Aug.	rwood. Good leat	25'-30' hery folia	Grac age, fin	eful clu e autun	isters of an color.
	2	to 3	ft. B. &	В	1.:	50	12.50	
	3	to 4	- ft B 23	: R	1	75	15.00	
	4	to 5	ft. B. &	В	2	50		
PHILADELI	arc	ching h	abit. Flov	vers very p	orofusely	—long	g narrov	v leaves.
	$1\frac{1}{2}$	to 2	ft ft			40	3.50	25.00
	2	to 3	ft		•	50	4.00	
Bouque	t Blai	ac. W	hite Bouqu	iet Mock	Orange.	3′ L	ow den	se habit.
			freely in 1					ll leaves.
	$1\frac{1}{2}$	to 2	ftft			40	3.50	
coronar	ius. w	Mock hite flo	Orange or wers freely	Syringa. produced	9'-10' in May	The June.	fragran	t creamy
	3	to 4	ft			50	4.00	35.00
— aurei			Leaf Moci					ct habit.
	Fr	agrant	flowers, si	milar to the	he type.			
	12	to 18	3 in	•		50	4.00	
— gran	diflora	a. La	rge Flowei	ing Mock	Orange	2. 7'-	8' Vig	orous.
	2	to 3	ft			40	3.50	
lemoine	i. L	emoine	Mock O	range. 4	′-5′ Cc	mpact	gracef	al habit,
	fra	agrant s	semi-double	flowers p	roduced	along	slender b	oranches.
	1 1/2	to 2	ft ⁄2 ft			40	3.50	25.00
	2	to $2\frac{1}{2}$	∕₂ ft		•	50	4.00	35.00
— mon	W	hite flo	A neat co wers in spr	ing.				
	11/2	to 2	ft			40	3.50	25.00
nivalis.	Sno	wbank	ft Mock Ord	inge. 4'-	5' Free	flow	ering,	fragrant.
	11/2	to 2	† t			50	4.00	
virginal	is. I	7 irgina	l Mock ()range.	7'-8'	Beauti	ful sen	ni-double
	flo	owers p	roduced in	termittently	y all sum	ımer.	Most o	desirable.
		to 2	ft			50	4.00	35.00
	2	to 3	ft ft ft			60	5.00	40.00
	3	to 4	ft			80	7.00	

Each Per 10 Per 100 PHOTINIA villosa. Red Berried Photinia. 8'-9' Flowers white, June, rich scarlet berries profusely borne in autumn, splendid thick foliage, to 3 .85 7.50 ft_____ See Evergreens, pages 37-38. PICEA. PIERIS. See Evergreens, page 38. PINUS. See Evergreens, pages 38-39. PLATANUS orientalis. European Plane Tree. 70'-80' Good for park and street use—quick grower, stands city conditions, also succeeds at seashore. 8 to 10 ft 2.50 22.50 175.00 10 ft., 11/4 to 11/9 in. 8 3.50 30.00 250.00 to 11 ft. $1\frac{1}{2}$ to $1\frac{3}{4}$ in. 4.50 300.00 10 37.50 to 12 ft. 1\(\frac{3}{4}\) to 2 in. 11 to 6.00 55.00 450.00 12 14 ft., 2 to $2\frac{1}{2}$ in. 8.00 70.00 to 25'-30' POLYGONUM auberti. Chinese Fleece Vine. During the summer and early autumn the myriads of white flowers give the whole vine a fleecy appearance. Vigorous; quite hardy. yr85 7.50 60.00 POPULUS bolleana. Bolleana Poplar. 50'-60' Leaves white underneath: similar character to Lombardy poplar; gray bark, quick grower. 1.00 8.00 ft..... to 8 1.25 10.00 80.00 6 ft..... to 9 1.75 8 ft_____ 15.00 100.00 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in. to 2,25 nigra italica. Lombardy Poplar. 60'-80' Tall spire-like character, is valued for screens and architectural effects. Grows quickly, and retains lower branches. 6 ft..... .65 5.00 40.00 to 8 ft..... .80 7.00 50.00 to Simon Poplar. 25'-30' Hardy small tree; good simoni. foliage. to 6 .85 ft..... 7.50 10.00 to 8 ft..... 1.25 POTENTILLA fruticosa. Shrubby Cinquefoil. 3'-4' Blooms profusely, clear yellow, June-Sept. A very adaptable and useful shrub. .35 2.50 .40 3.50 1½ to .50 4.00 35.00 2 ft..... tridentata. See Evergreens page 39. PRINOS. See ILEX glabra, page 33. PRUNUS cerasifera pissardi. Purple Leaf Plum. 12'-15' Valued because of purplish foliage. Prune every year for best color effect. .85 to 3 ft..... 7.50 3 to 4 1.00 8.50 75.00 ft..... to 5 1.25 10.00 85.00 ft..... 5 ft..... 1.50 to glandulosa (Amygdalus nana). Double Flowering Almond. 5'-6' One of the earliest shrubs to flower in spring—when literally covered. Pink and white. (Please specify which color is wanted.) 1.00 to 2½ ft..... 8.50 75.00

E 1 D 10 D 100
PRUNUS maritima. Beach Plum. 9'-10' Has a profusion of small white
flowers in April, purple fruits following. Splendid for seashore.
1½ to 2 ft
2 to 3 ft
3 to 4 ft
serrulata. Oriental Cherry. 25'-30' Pure white, semi-double, May.
3 to 4 ft
4 to 5 ft 1.75
- Amanogawa. Semi-double, bright pink; slender upright habit.
— Beni-Higan. Large tree, with early single pale pink flowers.
- Hizakura (New Red). Crimson buds to large double pink flowers.
— J. H. Veitch. One of the most popular sorts. Large rose-pink double.
- Kanzan. This is sometimes considered the choicest variety. It has
fine large double dark pink flowers and grows vigorously.
- Kofugen. Upright habit, double deep rose flowers.
 Mount Fuji. The best white double; good grower. Flowers profusely. Naden. Beautiful semi-double shell pink flowers.
— Nation. Deadth Semi-double shen plink howers. — Shirofugen. Large double flowers, blush fading to pure white.
Voshino. Quickly develops into a large tree. The single delicate pink
flowers just cover the branches. This variety is seen to
advantage around the tidal basin at Washington, D. C.
3 to 4 ft., B. & B
4 to 5 ft., B. & B
6 to 7 ft., B. & B 8.50
subhirtella pendula. Weeping Japan Cherry. 12'-15' Most beauti-
ful, graceful tree covered with pink blossoms in early spring.
STANDARD FORM. Budded on sturdy stems 5 to 6 feet tall.
tomentosa. Nanking Cherry. 6'-7' A splendid shrub, has pink buds expanding to white flowers—small red fruits relished by birds.
2 to 3 ft
3 to 4 ft
4 to 5 ft
triloba plena. Double Flowering Plum. 7'-8' Double pink flowers before the leaves, April-May. Handsome and useful shrub.
3 to 4 ft
PYRACANTHA. See Evergreens, page 39.
QUERCUS palustris. Pin Oak. 75'-90' Takes kindly to cultivation, prefers moist soil but is very adaptable. Particularly fitting as a street
tree with symmetrical pyramidal head. Good autumn effects.
8 to 9 ft., 1½ to 1½ in. 5.50 50.00 9 to 10 ft., 1½ to 1¾ in. 6.50 60.00 9 to 10 ft., 1¾ to 2 in. 8.00 70.00
9 to 10 ft., 1½ to 1¾ in. 6.50 60.00 9 to 10 ft., 1¾ to 2 in. 8.00 70.00
10 to 12 ft., 2 to 2½ in. 9.50 85.00
12 to 14 ft., $2\frac{1}{2}$ to 3 in. 11.00 100.00
14 to 16 ft., 3 to 4 in. 17.50
phellos. Willow Oak. 40'-50' The narrow willow-like leaves make this oak quite distinct from others. Handsome when mature.
6 to 8 ft
8 to 10 ft 5.00 45.00

Each Per 10 Per 100

RETINOSPORA. See Evergreens, pages 40-42.
RHAMNUS cathartica. Common Buckthorn. 9'-10' Dark green leaves, rumerous black berries. Valuable background shrub—hardy. 1½ to 2 ft
frangula. Glossy Buckthorn. $8'-9'$ Berries red changing to black. $1\frac{1}{2}$ to 2 ft
RHODODENDRON. See Evergreens, pages 42.
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$
RHUS canadensis (aromatica). Fragrant Sumach. 4'-5' Clusters of small yellow flowers, April-May. Attractive in June when covered with coral-red fruits. Withstands drought. Aromatic foliage. 3 to 4 ft
cotinoides. American Smoke Tree. 20'-25' Attractive round leaves which turn brilliant orange and scarlet in Autumn. The hairy fruiting panicles are not so large as the European type. 2 to 3 ft
4 to 5 ft
glabra laciniata. Cutleaf Smooth Sumach. 4'-5' Delicately cut leaves—grows slowly. Striking crimson early autumn color. $1\frac{1}{2}$ to 2 ft
ROSA blanda. Meadow Rose. 4'-5' Pink, May; almost thornless, red bark. 1½ to 2 ft
hugonis. Father Hugo Rose. 6'-8' Clear yellow single flowers freely produced, June. Bushy habit; small decorative foliage. 1½ to 2 ft
lucida (virginiana). Virginia Rose. 5'-6' Pink, June. Red decorative
fruits, red bark, thick shiny leaves. Useful for seashore. 1½ to 2 ft
fruits, red bark, thick shiny leaves. Useful for seashore.

					Each	Per 10	Per 100
ROSA nitida				ose. 3' Deep pink, June- general mass planting.			
	$\frac{12}{1\frac{1}{2}}$	to	2	in ft ft	.60	5.00	
rubigino	sa.	Swe	et B	riar. 5'-6' Bright pink	, June.	Aromatic	foliage.
	2 3	to to	3 4	ft	.70 .85	5.00 7.50	40.00
rubrifoli	lea	aves	and	. Redleaf Rose. 5'-6' bark; good winter subje	ct. Pin	k flower	ed, June.
	$\frac{1}{2}^{1/2}$	to to	2	ftft	.60 .75	5.00 6.00	40.00 50.00
rugosa.	flo U	ower sef u	s, Ju I in s	Rose. 4'-5' Handsom ne-Sept. Rich green folishrubbery border or as her ft	iage and dge—go	d large re od fall	ed fruits. coloring.
— alba.				osa Rose. 4'–5' Similar			
			-	ftft			50.00
setigera.	gr	owt	h qui	se. 5'-6' The tall archinickly make an effective m by the handsome foliage.	ass. La		
	2 3			ft ft			
wichuria				ial Rose. 15'-25' Whi anks or boulders. Thick s			
	2	yr			.70	5.00	40.00

CLIMBING ROSES or RAMBLERS

5.00 ten:

.70 each; American Pillar, single red, white cen.

Bess Lovett. Carmine red.

Christine Wright, clear pink.

Climbing American Beauty

Dorothy Perkins, pink.

Dr. Van Vliet, flesh pink.

Emily Gray. Creamy yellow.

Excelsa, crimson.

Gardenia, yellow.

Hiawatha. Carmine.

Mary Wallace, bright pink.

40.00 hundred

Silver Moon, pure white.

Tausendschon, pink.

SALISE	BURIA.	See	GIN	KGO,	page 13.]	Each	Per 10	Per 100	
SALIX					Weeping					
		appro	priat	e for v	waterside pla	ınting—l	ong p	endulous	branches.	
	4	to	6	ft			1.25	10.00	80.00	
	6	to	8	ft			1.75	12.50	100.00	
elegantissima. Thurlow Weeping Willow. 60'-70' Vigorous, spreading.										
	4	to	6	ft			1.00	8.50		
	6	to	8	ft			1.25	10.00		

24	DE	CID	UUI	JS 1.	REES,	SHR	JBS AI	ND V	INES	
SALIX pent	andr n 4 6	a. I nake to to	aure this 6 8	a wo	of Will rthwhile	e bacl	kground 	Shinin	g dark gr	Per 100 een leaves e seashore.
*SASSAFR	4 6 8	ariii reen to to to	foliui folia 6 8 10	.ge, st	riking a Nurser	utum	n color;	40'-50 transp 2.25 3.50 4.50	0' Hands lants best 17.50 30.00 37.50	some light in spring.
SORBARIA									5' Grace Septemb	eful, com- er.
	2 3 4	to to	3 4 6	ft ft		· · · · · · · · · · · · · · · · · · ·		.75 .85 1.00	5.00 7.50	
sorbifoli	Α	ugu	st.	The	brown	seed		hould		rs, June- ved so as
	2	to	3	ft				.70	5.00	
SORBUS au	st le	nall rikin aves	lawn g and and	. Th d are a larger	ne cons favorit berries	picuo e foo than	us oran; d of rob the An	ge-scar ins. H nerican	let berries as smalle variety.	e tree on a are quite r rounded
	4 6 8 10	to to to	6 8 10 12	ft ft				1.25 1.75 2.50 3.50	10.00 15.00 20.00 30.00	
— pendi					untain 			ous pe 4.00	ndulous	branches.
quercifol	to	typ	oe in	gene	ntain A eral cha ible an	aracte	r, but tl	A h	ybrid for ves are l	m similar arger and
	4 6	to to	6 8	_				1.25 2.25		
SPIRAEA ar	guta	ı. (Farlo	ind S	pirea.	5'-6	7 Small	light	green leav	ves—very
	1½ 2		ower 2 3	ft	viay. C			.40 .50	3.50 4.00	hunbergi. 25.00
bumalda				_					,	uly-Sept.
A 4 lb.	2	to			·				5.00	.i1l
Antho	pr	eced	ing–	-very	aterer free flo	werin	ig all sui	mmer. .50	A compa	oink than act shrub. 35.00
froebeli.	Fro W	ebel ater	er, a	.nd th	' Simila ne flow	vers a	are of a	e vigor a light .60	ous than er shade 4.00	Anthony of pink.
japonica	(ca	llos	a all	ba).	Japan	iese l	Spirea.	3'	White, J	une-July.
	12 15	to to to to	15 18	in	oliage v			.35	2.50 3.50 4.00	y—good. 20.00 25.00 35.00

	DEC	וטוג	UUL	S TREES, SHRUBS	AND VII	NES	25
SPIRAEA p	fl	owe	ring,	ridal Wreath. 7'-8' handsome green foliage	Double we turning o	range in	y. Free autumn.
	2 3	to to	3 4	ftft	.50 .60	2.50 4.00 5.00	20.00 25.00 35.00
thunberg	gi. w le 2	aves	. V	g Spirea. 4'-5' Slenc white flowers, April- aluable for seaside pla ft	nting. G	ood fall (to clothed ht green coloring.
trichoca	fl	Ko hich owe	orear i in la rs. It	a Spirea. 5'-6' Formate June is mantled was blooms two to three w	s a well sh rith umbel reeks later	aped rou s of pur than Van	e white.
	2 3	to to	3 4	ft ft	.85 1.00	7.50 8.50	
van hou	h	Vabitato to to to	Fv	foutte Spirea. 7'-8' Voltremely free flowering a ft	nd very a	lantable	Graceful Bushy. 20.00 25.00 40.00 50.00
SPRUCE.	See F	PICE		pages 37-38.			
STEPHANA	CC	ompa	act ha	uosa. Cutleaf Stepha abit; handsome foliage,	similar to	5'-6' small ma	Graceful uple leaf. 35.00
	3	to to	4	ftft	.85	7.50	50.00
STYRAX ja		owe	rs, Ju 2 3 4	anese Storax. 12'–15' ne-July. A handsome l ft	awn specii	nen, quit	pendant e hardy. 35.00 40.00
SYMPHORI	CAR	POS	S rac	cemosus. Snowberry.	4'-5' L	arge whit	e berries
	1½ 2 3 4	to to to	2 3 4 5	tractive foliage. Best in ft ft ft ft ft	.50 .60 .70 .85	3.50 5.00 6.00 7.50	25.00 35.00 40.00
vulgaris.	th	irou	ghou	y. 4'-5' Compact. t winter—for shady, di	ry places.	Most ac	daptable.
	1½ 2 3	to to	2 3 4	ftft.	.40	2.50 3.50 4.00	20.00 25.00
SYMPLOCO	N tu	Jume irque te au	erous oise-b	a (crataegoides). As small white flowers in blue berries in autumn. n. Spreading branches- ft	n May, fo Good f	llowed b oliage reta	y bright iined till
SYRINGA	chine bi	e nsi s ancl	hes, į	othomagensis.) Chin graceful. Violet flower	rs in May	—free flo	
	1½ 2 3	to to to	3	ftft.		4.00 6.00 7.50	35.00 40.00 60.00

26 DI	ECIDUOU	S TREE	S, SHRUBS	AND VI	NES	
				Each	Per 10	Per 100
SYRINGA chi	purple-red	flowers.	Otherwise :	similar to t		' Deep
	$\frac{1}{2}$ to 2	ft		.60	4.00	35.00
2 3	to 3			.75 .85	6.00 7.50	40.00
		Tree Lila	c. 25'-30' Handsome	Loose bur		
	$\frac{1}{2}$ to 2			_	4.00	,
3	to 3				6.00	
3 4	to 4 to 5			.85 1.25	7.50	
	good deep	green ro	9'-10' Ros ough foliage	. Rather	loose ope	n habit.
$\frac{1}{2}$	$\frac{1}{2}$ to 2 to 3				4.00 6.00	35.00 40.00
3	to 4				7.50	60.00
persica. P	ersian Lile fragrant lil	ac. 8'-9' ac flowers	Arching b	oranches, si uced in lo	mall leaves	s. The
	$\frac{1}{2}$ to 2				4.00	35.00
2	to 3			.75	6.00	50.00
			. 7'-8' Ci			
•	$\frac{1}{2}$ to 2				5.00	40.00
	ite Lilac.		ale rosy-lilac,			
1 2	$\frac{1}{2}$ to 2 to 3			.50 .70	3.50 5.00	25.00 35.00
3	to 4			.85	7.50	50.00
vulgaris. (Common	Purple 1	Lilac. 12'-1	15' The o	old-fashior	ned lilac.
13	6 to 2				2.50	20.00
2 3	to 3			.40	3.50 5.00	25.00
_				.70		***
	ommon w % to 2		ac. 10'-12'	The fra	grant wn 5.00	40.00
2	to 3			.85	7.50	50.00
3	to 4	ft	·	1.00	8.50	75.00
NAMED L		all on ou	n roots.)	Give perm	anent sati	sfaction.
$\frac{1}{2}$	½ to 2 to 3			.70 1.00	5.00 7.50	40.00 60.00
3	to 3			1.25	10.00	75.00
Alphonse L	avalle. Di			Le Grave.	Single	white.
Charles Ter	nth. Sgl.	reddish p	ur. Mme.	Lemoine.	Double	e white.
Ludwig Spa	aeth. Sgl.	dark purp	ole. Presid	ent Grevy	. Large D	bl. blue.
Michael Bu	chner. D	ouble lila	c. Rubra	De Marly	. Single	lt. blue.
Alphonse L Charles Ter Ludwig Spa Michael Bu Mme. C. Pe	rrier. Dbl	. pure whi	ite. Wm.	Robinson.	Double	mauve.
TAMARIX afric	cana. Afri	can Tam		Pink, Apr	ril-May. I	Feathery
2	to 3			.40	3.50	
3	to 4	ft		.50	4.00	
TAXUS. See B	Evergreens,	page 43.				

	DECIDOO	OS TREES, STINOBS	AND VINES	41
		s, pages 43–46.	Each Per 10	D Per 100
ULMUS am	ericana. A	merican Elm. 80' 100	' Fairly rapid	in growth.
OBITOS um	this typic	cal American tree soon	assumes regal	proportions.
	Very ada	aptable, but best in moist	places.	proportions
	8 to 10	n ft	2.50 17.50	0 125.00
	8 to 10	0 ft	3.25 27.50	
	9 to 10	0 ft 1½-1¾ in	3.75 32.5	
	10 to 1	2 ft 13/2 in	5.50 50.00	
	10 to 1	2 ft., $2 - 2\frac{1}{4}$ in 4 ft., $2\frac{1}{4} - 2\frac{1}{2}$ in	/ [1][] (5[] [1]	
	12 to 1	4 ft 21/-21/ in	8.50 75.00	
		4 ft., $2\frac{1}{2}$ in	10.00 90.00	
M. 15				
— Mon	ously an central le	strain having large hands d quickly develops into d ader; smooth clean bark.	lense conical spe	cimen with
		O ft	3.00 25.00	
— Vase	shape. T	his is the typical sprea	iding elm whic	h has been
	selected	for its splendid char	acteristics. Lar	ge foliage,
	straight,	clean stem, quick growt	h and uniform	in shape.
	9 to 10	0 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in. 1 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in.	3.75 35.00)
	10 to 1	1 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in.	4.50 40.00)
pumila.	Siberian	Elm. 70'-80' Small lea	aves—rapid grow	th.
	6 to 8		3.50 27.50	
VACCINIUM	A corymbos	um. Highbush Blueber		hell-shaped
VACCIMO	flowers	beautiful fruit; good hab	it, brilliant autum	n coloring
	These ar	e exceptionally fine nurse	ery grown clump	S.
	12 to 13	8 in ft ft	.75 6.00	40.00
	$1\frac{1}{2}$ to 2	ft	1.00 7.50	
VIBURNUM		n. Maple Leaved Vibu		
	June. Bla	ack fruits, maple-like leav	es turning purple	in autumn
	—good f	for dry shady places and	under planting ir	woodland.
	$1\frac{1}{2}$ to 2	ft	.70 6.00	50.00
	2 to 3	ft	.85 7.50	70.00
americai	num (oxyco	ccos). American Cranl	perry Bush. 9'-	10' Bright
		erries, large bunches persi		
	$1\frac{1}{2}$ to 2			
	$\frac{1}{2}$ to $\frac{2}{3}$	ft	.85 7.00	
	3 to 4		1.00 8.50	
1		Viburnum, $4'-5'$ The v	1.00 0.30	
cariesi.	Fragrant	viburnum, 4-5 Inev	ery tragrant pini	KISH HOWers
	make thi	s the outstanding member	er of the family.	I ne cius-
		n as the leaves expand in ng into a broad, round-to		some shrub
	-	_		
		8 in		
	$1\frac{1}{2}$ to 2	ft		
cassinoi	des. Withe to dark l	rod. 5'-6' White, June- olue. Autumn color. S	-July. Berries pir plendid for mass	nk changing ing.
	$1\frac{1}{9}$ to 2			
	2 to 3	ft ft	.85 8.00	
	3 to 4	ft	1.00 9.00	
	4 to 5	ft	1.25	
dantatur		Wood. 10'-12' White	May-Iuma E	Parriae blue
dentatu	blackt or	utumn coloring purple an	d red Thrives	in wet soil
	Malana	splendid informal hedge	without trimmin	in wet soll.
	1½ to 2	ft ft	.50 4.0	0 25.00
	$\frac{172}{2}$ to $\frac{2}{3}$.60 5.00	
	3 to 4	ft	.75 6.00	

DECIDUOUS TREES, SHRUBS AND VINES Each Per 10 Per 100 VIBURNUM dilatatum. Linden Viburnum. 8'-9' Creamy white flowers May-June. Scarlet shiny berries. Handsome foliage. Upright bushy habit with bold outline—a splendid shrub. ft..... .85 7,50 60.00 2^{\prime} to 3 1.00 9.00 ft..... Wayfaring Tree. 15'-18' White, May-June: handsome dark green wrinkled leaves; berries red changing to black; vigorous. $1\frac{1}{2}$ to 2 ft..... .70 5.00 40.00 to 3 ft..... .85 7.50 50.00 Wrinkle Leaf Wayfaring Tree. 15'-18' Has larger and - rugosum. more wrinkled leaves than preceding. A desirable hardy shrub. $1\frac{1}{2}$ to 2 .70 5.00 ft..... 3 .85 to ft..... 7.50 3 4 ft..... 1.00 8,50 to Nannyberry. 18'-20' White, May-June. Handsome foliage, lentago. good autumn color; blue-black fruits. Good for massing. 2 ft..... 1½ to .70 5.00 40.00 to 3 .85 7.50 50.00 ft..... 1.00 3 to 4 8.50 ft..... 75.00 to 5 4 ft..... 1.25 10.00 5 to 6 1.75 15.00 ft..... Kentucky Viburnum. 10'-12' Larger, darker green leaves, molle. similar to "dentatum," but flowers two weeks earlier and fruits ripen in August. Compact habit. 1½ to 2 ft..... 25.00 .50 4.00 3 to 5.00 35,00 ft..... .60 3 .75 4 ft..... 6.00 40.00 to 5 1.00 to ft..... European Cranberry, 8'-9' Similar to American Cranberry, opulus. but has smaller leaves and berries; more compact habit. 1½ to 2 .60 ft..... 4.00 35.00 7.50 8.50 3 ft..... .85 50.00 to 3 to 4 3 ft..... 1.00 75,00 - nanum. Dwarf Cranberry. 1½'-2' Useful edging or facing shrub. Rarely flowers. Very compact habit—slow in growth. .35 4 to 6 in..... 2.50 20.00 .50 4.00 35.00 6 to 9 in..... 9 .75 6.00 50.00 12 in to - sterile. Common Snowball. 9'-10' Has showy round heads of white flowers, May-June. Rarely fruits. $1\frac{1}{2}$ to 2 4.00 25,00 ft..... 3 .70 to ft..... 5.00 35.00 4 ft..... .85 7.50 50.00 to prunifolium. Black Haw. 15'-20' Pure white flowers, April-June. Blue-black glaucous berries. Sturdy habit. Handsome shrub. .85 2 ft..... 7.50 $1\frac{1}{2}$ to 3 1.00 8.50 to ft,.... rhytidophyllum. See Evergreens, page 47. sieboldi. Siebold Viburnum. 9'-10' White, May-June. Berries pink, changing to black. Has handsome large dark green leaves.

ft

ft.....

ft.....

ft.....

.75

.85

1.00

1.25

6.00

7.50

8.50

50.00

60.00

2

3

5

1½ to

3

4

to

to

to 4

DECIDOOUS TREES, SHRUF	35 AND VINES 2
	Each Per 10 Per 10
VIBURNUM tomentosum. Doublefile Vibu	
flowers, June. Berries red to	black. Good autumn coloring
1½ to 2 ft 2 to 3 ft	70 5.00 35.0 85 7.50 50.0
3 to 4 ft	1.00 8.50
— plicatum. Japanese Snowball. 7 balls, June. Handsome foliag	e, purple in autumn. No fruit
1½ to 2 ft	.70 5.00 35.0
2 to 3 ft	85 7.50 50.0
3 to 4 ft	70 5.00 35.0 85 7.50 50.0 1.00 8.50 75.0
VITEX macrophylla. Bigleaf Chaste Tree.	3'-4' Large tresses of lavende improvement on the old form
	85 8.00 70.0
VITIS heterophylla. See AMPELOPSIS, pa	
WEIGELA candida. Snow Weigela. 7'-8	B' Large white flowers freel
produced. They become faintly	
2 to 3 ft	50 3.50
3 to 4 ft	70 5.00 35.0 85 7.50 50.0
Desbois. Desbois Weigela. 6'-7' De	ep rose pink flowers.
2 to 3 ft	50 3.50 25.0 70 5.00 35.0 85 7.50 50.0
3 to 4 ft	/0 5.00 35.0
Eva Rathke. Red Flowering Weigeld Most profuse of all.	a. 4'-5' Carmine, June-Au
$1\frac{1}{2}$ to 2 ft	50 4.00 25.0
2 to 3 ft	70 5.00 35.0
floribunda. Crimson Weigela. 7'-8' Particularly good clear color.	Crimson, June. Free flowering
3 to 4 ft	70 5.00 40.0
nana variegata. Variegated Leaf Weig	sela. 4'-5' Pale pink flower
2 to 3 ft	
rosea. Pink Weigela. 7'-8' Showy	
1½ to 2 ft	40 2.50 20.0 50 3.50 25.0
2 to 3 ft	70 5.00 35.0
4 to 5 ft	50 3.50 25.0 70 5.00 35.0 85 7.50
WISTERIA sinensis. Chinese Wisteria.	
free-flowering plants. BLUE	and WHITE.
2 yr	85 7.50 50.0

Quality in nursery stock cannot be seen nor adequately described in any catalog. The finest types are selected by us for propagation. Visit our nurseries and draw your own conclusions.

Evergreens and Conifers

These have all been transplanted, given ample room for full development, and frequently sheared to produce compact symmetrical specimens.

Prices include B. & B. except as noted by **

Prices include B. & B. except as note	d by ***
Ea	ch Per 10 Per 100
ABIES homolepis. Nikko Fir. 60'-80' One of the fleaves and splendid habit. Quite	inest Firs; has lustrous hardy and adaptable.
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	50 40.00 375.00 00 55.00
ANDROMEDA. See PIERIS, page 38.	
ARBORVITAE. See THUJA, pages 43-46.	
AZALEA akebona (lilacina). Large hairy leaves, larg	e sgl. lavender flowers.
15 to 18 in	00 25.00 200.00 50 30.00 250.00 50 40.00 350.00 00 50.00
amoena. Japanese Azalea. 2½'-3' Conspicu	
8 to 10 in **	50 12.50 100.00 00 17.50 125.00 50 22.50 175.00 00 27.50 00 37.50 00 55.00
Fujimayo. Has large double lavender flowers deli	cately shaded.
15 to 18 in	00 25.00 200.00 50 30.00 250.00 50 40.00 350.00 00 50.00
hinodegiri. Red Japanese Azalea. 3'-4' Lar	ger leaves and better
habit than amoena. Flowers very brigh	
8 to 10 in **	25 20.00 150.00 00 25.00 200.00 550 30.00 250.00 75 35.00
ledifolia (indica alba) Snow Azalea. Large almost cover the plant in early spring. $1\frac{1}{2}$ to 2 ft	Needs sheltered place. 35.00
For other AZALEAS see page 5-6.	

BERBERIS atrocarpa (levis). 5'-6' A handsome evergreen shrub with long narrow leaves yellowish green beneath. Flowers rather large and followed by jet black berries.

3"	pots	.85	7.50	60.00
4"	pots	1.25	10.00	85.00
6''	pots	1.75	12.50	

BERBERIS ilicifolia. Holly Barberry. 5'-6' Holly-like leaves persist
until new foliage appears; flowers yellow, withstands drough. 12 to 15 in
15 to 18 in 1.75 15.00
3 ft. specimens 4.00
For other BERBERIS see pages 6–7.
BIOTA. See THUJA orientalis, page 4.
BUXUS sempervirens. Box. (Bush form) 12'-15' Useful for formal hedges.
6 to 8 in**60 3.50 20.00 8 to 10 in**85 6.00 40.00 10 to 12 in** 1.00 8.50 60.00 12 to 15 in** 1.50 12.50 85.00 15 to 18 in 2.25 20.00 175.00
10 to 12 in** 1.00 8.50 60.00
12 to 15 in**
GLOBES. These have been trimmed into compact shapely specimens.
12 to 15 in
15 to 18 in 5.50 50.00
18 to 21 in 9.00
PYRAMIDS.
1½ ft 4.00
suffruticosa. True Dwarf Box. 3'-4' Extensively used for edgings. Per 10 Per 100 Per 1000
3 to 4 in ** 3.50 25.00 150.00 4 to 6 in ** 5.00 35.00 250.00
4 to 6 in ** 5.00 35.00 250.00
CALLUNA vulgaris alba. White Heather. 1'-2' A splendid evergreen ground cover. Best in large masses on well-drained slopes.
— aurea. Pink flowers, yellow foliage.
— humilis. Dwarf Heather. 12" White flowers. Rich green foliage.
Each Per 10 Per 100 3" pots
4" pots
4" pots
4" pots
4" pots
4" pots
4" pots
4" pots
4" pots
4" pots
4" pots
4" pots
4" pots
4" pots
4" pots
4" pots
4" pots
4" pots

Each Per 10 Per 100
COTONEASTER horizontalis perpusilla. Has very small leaves; procumbent habit, red berries. One of the neatest for rock gardens.
3" pots
4" pots
lemoinei. Lemoine Cotoneaster. A graceful shrub with arching
branches, narrow deep green leaves, bright red berries.
4" pots
microphylla. Rockspray. 2'-2½' Very small leaves, very deep green. Rather more bushy and retains foliage later than horizontalis.
3" pots
— thymifolia. Thyme Rockspray. $1\frac{1}{2}$ '-2' Very small leaves, bushy.
4" pots
rotundifolia. Roundleaf Cotoneaster. 4'-5' Small half evergreen leaves, large scarlet berries. Rather open habit.
3" pots 1.00 8.50 75.00 4" pots 1.25 10.00 85.00
4" pots
scarlet fruits. Evergreen in sheltered locations. Handsome shrub.
3" pots
CRYPTOMERIA lobbi compacta. Cave Cryptomeria. 15'-20' Forms
narrow irregular column—compact and picturesque. Rich bronze winter color. Prefers moist but well-drained location.
3 to 4 ft
DAPHNE cneorum. Rose Daphne. 1' Gray-green foliage, low spreading. Pretty pink flowers in April-May. Delightful fragrance.
4" pots
8 to 10 in
EUONYMUS patens (sieboldianus). Spreading Euonymus. 8'-9' Vigorous,
forming broad, shapely shrub; leaves persisting until late
winter. Ornamental fruits. Effective among denser conifers. Withstands drought remarkably. Forms a splendid hedge.
1 to 1½ ft
1½ to 2 ft
radicans. Wintercreeper. Climbing to 15 ft. Self-clinging vine. Good for covering low walls. Also useful for under planting.
2 yr.**40 3.50 25.00
— colorata. Similar to acutus but purple leaves intensified in winter.
2 yr**
— carrierei. Glossy Wintercreeper. Large, shiny pointed leaves; shrubby.
2 yr.**50 4.00 35.00 3 yr.**70 5.00 40.00
— minimus. Baby Wintercreeper. The tiny evergreen leaves are
pencilled in gray. Charming for rockery or edging.
3" pots
 vegetus. Bigleaf Wintercreeper. 3'-4' Interesting shrubby growth; leaves round, dull green; bright scarlet and orange fruits.
Handsome among evergreens; long basal growths self-clinging.
2 yr
For other EUONYMUS see pages 12-13.

EVERGREENS AND CONIFERS 33
Each Per 10 Per 100
ILEX crenata microphylla. Small Leaf Japanese Holly. 6'-8' Smaller leaves and more hardy than the type. More compact habit. 1½ to 2 ft
glabra. Inkberry. 5'-6' Shining dark green leaves purplish in winter. Black berries. Useful for shady spots, also succeeds in sun. 12 to 15 in
opaca. American Holly. 25'-30' Succeeds in moist, partially shaded place. Rather difficult to transplant. Best moved in spring. 2 to 3 ft
For other ILEX see page 15.
JUNIPERUS canadensis. See Communis.
chinensis. Chinese Juniper. 15'-20' Formal columnar outline, gray- green foliage of two types. A splendid hardy evergreen. 2 to 2½ ft
2½ to 3 ft 6.00 55.00 500.00 3 to 4 ft 8.00 70.00 650.00 4 to 5 ft 10.00 90.00 800.00
 albo variegata. White Leaf Chinese Juniper. 6'-7' Light glaucous foliage, creamy branches interspersed. Formal pyramid but useful in low plantings. Well-shaped plants.
$\begin{array}{cccccccccccccccccccccccccccccccccccc$
 columnaris. Columnar Chinese Juniper. 15'-20' Grows rapidly, forming tall, narrow column of gray-green foliage. Extremely hardy. Can be made very compact by annual trimming.
2½ to 3 ft 6.50 60.00 500.00 3 to 4 ft 8.00 75.00 700.00 4 to 5 ft 10.00 90.00 5 to 6 ft 12.50
— - viridis. A light green form of the above. Slightly slower in growth.
2½ to 3 ft. 6.50 60.00 3 to 4 ft. 8.00 75.00 4 to 5 ft. 10.00 90.00 5 to 6 ft. 12.50 110.00 6 to 7 ft. 16.00
— fortunei. Has gray green foliage. Forms a broad irregular pyramid.
2 to 2½ ft
— neaboriensis. Conical Chinese Juniper. 7'-8' Very formal narrow
pyramid. Prickly leaves. Useful accent plant—very hardy. 15 to 18 in

34	E/	VERGREE	NS AND	CONIFERS		
				Each	Per 10	
JUNIPERU	S chinens	is oblonga	7'-8' For	ms broad irreg	ular pyrai	mid with
				foliage shaded		
	$\frac{1\frac{1}{2}}{2}$ to		•••••		27.50	225.00
	$\frac{2}{2\frac{1}{2}}$ to				35.00 45.00	300.00 400.00
	$\frac{2}{3}$ to		· · · · · · · · · · · · · · · · · · ·		60.00	500.00
	4 to				80.00	
— pfitz	zeriana. I	Pfitzer Jun	iper. 5'-6'	Broad bushy	habit. Gi	ay-green
	Recon	e, giving i nmended fo	eatnery app or mass or n	earance. Ada nixed planting.	ptable an Nice st	ecimens.
	15 to		•••••	2.50	22.50	175.00
	$1\frac{1}{2}$ to	2 ft		3.50	30.00	250.00
	$\frac{2}{2}$ to	2½ ft		5.00	40.00	325.00
	$\frac{2\frac{1}{2}}{3}$ to				65.00 90.00	
— sarg				10.00 ½' Prostrate		ogg groom
— sai ş	foliage	. A very	hardy valua	ble ground co	ver and ro	ck plant.
	15 to				35.00	•
comm	unis. Cor	nmon Jun	iper. 3'-4	4' Forms a	vase-shap	ed bush.
	15 to				10.00	85.00
	$1\frac{1}{2}$ to	2 ft		1.75	15.00	125.00
	$\frac{2}{2\frac{1}{2}}$ to	2½ It 3 ft		2.50 3.50	22.50 27.50	175.00
— aure	ea. Gold	len Comr	non Junio	er. 1'-1½'		preading.
	Golde	n foliage,	bright in	spring, hard	to transp	lant.
	15 to	18 in	· · · · · · · · · · · · · · · · · · ·	2.75	22.50	
— can				$\frac{1}{2}'-3'$ Forms ove, bluish ben		
	15 to			1.25	10.00	85.00
	$1\frac{1}{2}$ to	2 ft		1.75	15.00	125.00
	2 to $2\frac{1}{2}$ to	2½ II 3 ft		2.50 3.50	22.50 27.50	175.00
— cra	covica. P			Upright form		ng from
0.10	groun	d, making	compact nar	row light greer	column.	Hardy.
	15 to	18 in		1.25	10.00	85.00
	$1\frac{1}{2}$ to	2 ft		1.75	15.00	125.00
4	2 to				22.50	175.00
— dep	ressa piun iper.			nosa). Plume irdy, transplant		
				inter. A mos		
	15 to				30.00	•
— hib	ernica. I1			seful for its nan	ow spire-l	ike effect.
	15 to	18 in			10.00	75.00
	$1\frac{1}{2}$ to				15.00	100.00
	2 to				22.50	150.00
— sue		_		growing, nar		
	15 to 1½ to				10.00 15.00	75.00 100.00
	2 to				22.50	150.00
				3'-3½' A		
	colum	n of slow	growth. G	ood foundatio	n or rock	ery plant.
	12 to			2.00	17.50	150.00
	15 to				22.50	175.00
	$1\frac{1}{2}$ to	2 ft		3.00	27.50	

							Per 10	
JUNIPERUS	excel	lsa stri	ta.	Spiny Gre	ek Junipo	er. 4'-5	Compa	ct, well-
		iped pyi pots.	amıd.	Foliage g	ray-green	—uset u	l for form	aleffects
		to 12	in			2.00	17.50	125.00
		to 15				2.50	20.00	175.00
		to 18				3.00	25.00	200.00
		to 21				3.75	35.00	
		to 24	in			4.50	40.00	
			ft			5.00		
		to 3				7.00 9.00		
								,
japonica	. Jai	panese	Jump	per. 3'-4'	Slow gro	ower, sp	oreading b	ranches,
	for	ndation	n SCa	ıly leaves; rk. This	is one c	of the 1	nardiest ex	ergreens
	reta	aining i	ts rich	green thro	oughout th	ne winte	er.	er greens
	12	to 15	in			2.00.	17.50	125.00
	15	to 18	in			2.50	22.50	150.00
		to 2				3.50	30.00	250.00
	2	to $2\frac{1}{2}$	ft			4.50		
Т	RIMN	MED G	LOB	ES. Th	ese are ha	indsom	e compac	t plants.
	8	to 10	in			2.00	17.50	125.00
		to 12	in			2.50	20.00	150.00
		to 15				3.00	25.00	200.00
	15	to 18	in			3.50	30.00	250.00
— aurea	a varie	egata.	Gold	len Varieg	ated Jun	iper. 2	$2'-2\frac{1}{2}'$ A	ttractive.
	12	to 15				2.00		
		to 18	in			2.50	20.00	
	$1\frac{1}{2}$	to 2	ft			3.50	30.00	
sabina.	Savi	n. 6'-	7' D	ense dark	green foli	age. S	preading	branches
	for			ar vase-sha				
	12	to 15	in			1.50	12.50	100.00
sauamai	ta Sco	alv Leo	f Inn	iper. 12'' A	creening	form us	seful for ro	ck work
squama						4.50	seruiroi io	CK WOIK.
— meye				per. 3'-4'				foliage.
		to 15				4.00	35.00	300.00
		to 18	-			5.00	45.00	
	$1\frac{1}{2}$					7.00		
— varie	gata.	A p	ostrat	te form wit	h striking	white:	shoots thre	oughout.
	12	to 15				4.50	37.50	
	15	to 18				5.50	50.00	
	$1\frac{1}{2}$	to 2	ft			6.50	60.00	
virginia	na. R	edceda	. 25'	−30′ Usefı	ıl in forma	ıl work	or mixed 1	olantings.
	2	to 3				3.00	22.50	175.00
	3	to 4	ft			4.00	35.00	
	4	to 5				6.00	50.00	
	5	to 6	ft			8.50	75.00	
— alba	spica	. Var	iegate	ed Redcedo	ır. 10'-i	12' Up	right, with	h pendu-
	lo	us bran	chlets	and promin	nent white	markin	gs. Hardy	, distinct.
	2	to 2½				4.50	40.00	
	$\frac{21}{2}$	to 3				5.00	45.00	
	3	to 4	† t			6.00		

36 EVENGINEERS AND CONFERS
Each Per 10 Per 100 JUNIPERUS virginiana burki. Burk's Juniper. 10'-12' Distinct blue,
forming a dense column. Winter coloring is metallic purple.
2 to 2½ ft
2½ to 3 ft
3 to 4 ft
 cannarti. Cannart Cedar. 12'-15' Very deep rich blackish green foliage. Dense growing columnar form. An aristocrat.
2½ to 3 ft 6.00 55.00 500.00
3 to 4 ft
4 to 5 ft
 elegantissima. Goldtip Redcedar. 12'-15' Bright yellow tips to branches, turning bronze in winter. Pyramidal.
2 to $2\frac{1}{2}$ ft
2½ to 3 ft
3 to 4 ft 8.00 70.00
 — glauca. Silver Redcedar. 15'-20' Distinct bluish-gray foliage. Develops into a tall narrow column. A most popular form.
2 to 2½ ft 4.50 40.00 350.00
2½ to 3 ft 6.00 50.00 450.00
3 to 4 ft
4 to 5 ft
1200 1100
 globosa. Globe Cedar. 3'-4' A natural dwarf redcedar assuming a spherical shape without shearing. Quite hardy and useful.
12 to 15 in
15 to 18 in
 keteleeri. 15'-18' A splendid evergreen of pyramidal formal outline. Deep green scale like leaves. Compact habit. Very hardy.
21/ to 3 ft 6.00 50.00
3 to 4 ft
5 to 6 ft
 kosteriana. Koster Cedar. 3'-4' Spreading bushy form similar in color and general appearance to Pfitzer juniper, but lower.
1½ to 2 ft
2 to 2½ ft
 — pendula. Weeping Redcedar. 8'-10' Branches lengthen and droop over, giving a picturesque effect when more mature.
2½ to 3 ft 5.00
3 to 4 ft
4 to 5 ft
 schotti. Schott Redcedar. 12'-15' Has fresh green foliage. Compact formal columnar habit. Good winter color, quite hardy.
2½ to 3 ft
4 to 5 ft
5 to 6 ft
6 ft
 smithi. Smith Juniper. 8'-9' Has light grass green foliage—unusual open habit, quite hardy and distinct.
2 to 2½ ft
2½ to 3 ft

		EVER	GREE	INS AI	ND CO	MIFER)		37
KALMIA la	the	clusters	s of pi	nk flow	ers oper	n. Goo	ffective d folias	in Juge, like	Per 100 ne when es shade. shrubs.
	12	to 15	in.,	Nursery	y grown y grown	2.0	0 17	7.50 2.50	125.00 175.00
LEIOPHYLI		June.	Small	shiny le	eaves res	embling	minia	ture b	flowers oxwood.
	9	to 9 to 12	in.	44	· · · · · · · · · · · · · · · · · · ·	2.50) 22	2.50 2.50	
LEUCOTHO	flo Spl	wers, M lendid f	lay. F or un	Handson der plai	ne lustro	us leave shade.	s, rich Prefe	autun	ve white in color. ist place.
LONICERA	-				kle. 2'	Needs		protection.	40.00
MAHONIA	lea yel 12	ves turr low flow to 15 to 18	n rich wers a in in	scarlet ppear —	in autu	imn. Stock fruits. 1.75 2.00	riking Best 5 12 0 17	in Ma	g green ny when lf shade. 85.00 125.00
PACHYSAN	DRA gro	termin	alis. ver for	Japane shady	se Spur	ge. 8'' Per l	Valu 0 Per 1	able e 100 P	vergreen er 1000
PICEA canad	densis into	(alba). o shapel	Whit y spec	te Sprue imen of	ce. 50'- Close te	60' Silve exture. I Each	Rather :	slow g	develops growing. Per 100
	1½ t	0 2	ft			2.00 2.50 3.50 4.00) 17) 20) 30	.50 .00 .00	
excelsa.	Ou 12 t 15 t 1½ t 2 t 2½ t	r Spruce 15 to 18 to 2 to 2½	in in ft ft	particular	rly well	quick-g shaped v 1.25 1.75 2.25 3.50 3.75 4.50	very co 5 10 5 15 6 17 0 27 6 35	g wind mpact .00 .00 .50 .50 .00 .00	ndbreak. plants. 85.00 125.00 150.00 200.00
— aurea	. Gold 2½ t			^	35′-50′		,	golden	spruce.
— clanb	tha	n high.	Slend	der need	les. Ve	ery hard	у.		rable of broader
		o 12 o 15	in			5.00	45.		
— conic	con 18 t	npact, sy	ymmet in	rical. C		founda	tion or 40.	forma .00	slowly; al work.

Each Per 10 Per 100 PICEA excelsa pendula. Weeping Norway Spruce. 20'-25' A curious form with inverted branches. Effective in Japanese gardens. ft..... 12,50 Pyramidal Norway Spruce. 25'-30' All the - pyramidalis. branches grow upward to form a neat, narrow pyramid. to 4 ft.... 8.50 5 4 to 10.00 glauca conica (albertiana). Dwarf Alberta Spruce. 4' A dense cone of blue-green; very hardy. A gem for small scale work and rock gardens. 6 2.00 to 9 in 17.50 150.00 in 9 3.00 25,00 200.00 12 1.5 4.00 35.00 to in 18 in _____ 6.00 50,00 to 2.1 in 18 to 7.50 21 to 24 in 9.00 koyama. Forms an attractive narrow pyramidal tree, gray-green foliage. $1\frac{1}{2}$ to 2 ft 5.00 45.00 7.00 3 to 2 ft..... 60,00 pungens. Colorado Spruce. 60'-80' Branches in distinct whorls. forming a handsome lawn specimen. Gray-green needles. . 15 to 18 in 2,50 20,00 1½ to 2 ft..... 3.50 30.00 2 to 2½ ft..... 4.00 35,00 2½ to 3 ft 6.00 50.00 to 3½ ft..... 9.00 80.00 — glauca. Colorado Blue Spruce. 60'-80' Thick steel blue needles. 15 to 18 in 4.00 35.00 $1\frac{1}{2}$ to 2 ft..... 5.00 40,00 to 2½ ft 8.00 70.00 2½ to 3 ft..... 10.00 - Kosteri. Koster Blue Spruce. 60-80' Our own stock now offered in limited quantity is unusually good. It was carefully selected for color, and every specimen is well shaped. 175.00 200.00 225,00 275.00 300.00 PIERIS japonica. Japanese Andromeda. 4'-5' Thick shiny leaves turning bronze in winter. Drooping clusters of small white flowers open in May. Best in moist, partially shaded place. Hardy. 3.00 12 to 15 in 27.50 15 to 18 in 3.50 30.00 1½ ft 4,00 floribunda. Mountain Andromeda. 4' Waxy white flowers in May. Good deep green foliage, best in half shady places, very hardy. 12 to 15 in 4.00 35.00 300.00 15 to 18 in 5.00 45.00 PINUS densiflora. Japanese Red Pine. 40'-50' Long bright green needles. Succeeds well at seashore—grows quickly, bushy plants. 1.50 12,50 $1\frac{1}{2}$ to 2 ft..... 75.00 17.50 to 3 2.25 125.00 ft..... 3 3.75 to 4 32.50 ft.....

		Е	VER	GR	EENS A	ND CON	IIFERS		39
							Each	Per 10	Per 100
PINUS dens	iflor	a um	brac	ulif	era (Tan	yosho).			lla Pine.
		3'-4'	. A	dwa	arf variety	in which	the bran	ches for	m a flat-
						A handso		ıl dwarf e	evergreen.
a	12	to			9.01 4.01		4.00		C 1:
flexilis.						Evergreen			n foliage.
1!	2	to	,			1.1.1.2.4	3.50	30.00	. 7° .
mongoli	2 2		11ar a		arance an	d habit to	2.00	17.50	125.00
	3	to to	4		· · · · · · · · · · · · · · · · · · ·		3.50	30.00	250.00
montana	n n		us.			e. 2½′–3	' Form	s a rour	nd-topped
		oush.				planting a			
	12	to					2.50	22.50	175.00
	15	to	18 2				3.50 5.50	30.00 50.00	250.00 400.00
	2	to					8.00	70.00	400.00
nigra (au	ıstr		Au	stri	an Pine.	60'-70'	Rich da	rk green,	vigorous,
0 (or backgr			
	2	to	3	_			4.00	35.00	300.00
	3	to to	4 5	_			5.50 7.00	50.00 60.00	450.00
resinosa.	•	Red				Dark gre			vigorous.
1001110001	2	to	3			_	3.50	30.00	250.00
	3	to	4	ft			5.00	45.00	400.00
	4	to	5				7.00		
strobus.		hite		. 6	80'-100' Very piet	Probably uresque w	our mo	ost adapt	able and quickly.
	2	to	3				4.00	35.00	quickiy.
	3	to	4				5.50	50.00	
sylvestris	5.	Scoto				' Rather			
		needle				poor soil			
	1½	to	2	_		**********	1.75 2.00	12.50 17.50	85.00 125.00
	3	to to	4				3.50	30.00	250.00
thunberg	ri	Land	111.000			50'-60'	Stiff d	ark green	needles
thumberg						ng. Advisa			
	2	to	3	ft.			3.50	30.00	250.00
	3	to	4	ft			5.00	45.00	400.00
POTENTILL						Cinquefoi			en leaves
						t little bush			- /
							.50	4.00	35.00
PSEUDOTS			-		-				_
	1.1/	Jevelo * to	ops ii	nto f+	a handso	me pyrami		nen. Vei 25.00	200.00
DVDACANT									
PYRACANT	ПА	. coc	cine	a. ınch	rireinor: ied. com	n. 5-6 pact habi	Small C	iark greei Il white	n leaves; flowers
	t	ollow	ed t	у 1	large clus	sters of br	ight ora	nge-scarle	t berries.
	F	Best w	vith s	ligh	t shelter.	A splendi	d evergre	en shrub.	
							2.25	17.50	125.00
— laland						12'-15' I			
	C.	nan II range	red	beri	ies. A g	ger branche good subjec	t for trai	ning on	walls.
	4''							12.50	100.00
	5"	pots					2.25	17.50	150.00

40 EVERGREENS AND CONIFERS	
RETINOSPORA decussata. Turns a metallic purplish shade in winte	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
filifera. Thread Cypress. 15'-20' Has long, stringy, droopin branches, bright green foliage—graceful, decorative.	_
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	00
3½ to 4 ft 10.00 85.00	U
 aurea. Golden Thread Cypress. 10'-12' Bright golden yellow Grows more slowly than preceding. Useful in small planting. 	√. S.
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	10
 nana. Dwarf Thread Cypress. 2' A curious dwarf form with twisted branchlets. Particularly good for rock gardens 	
9 to 12 in	
 — nova. Variegated Thread Cypress. 10'-12' Branches ar variegated green and yellow. Has interesting irregular outling 	
15 to 18 in	٤.
1½ to 2 ft	
leptoclada. Andely Cypress. A distinct upright form.	
1 to 1½ ft	
obtusa (CHAMAECYPARIS). Hinoki Cypress. 15'-20' Dark gree lustrous foliage, grows slowly, beautiful specimen.	n
1½ to 2 ft	
 — compacta. Football Cypress. 2½'-4' Almost spherical in shape Good green during winter—useful in foundation planting 	e. g.
12 to 15 in	
 — crippsi. Cripps Golden Cypress. 10'-12' Particularly good golde leaved form. Slow growing—hardy. Bright yellow all year 	n r.
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
 gracilis. Slender Hinoki Cypress. 12'-15' Narrow irregula pyramid, rich dark green foliage. Slow grower—picturesque 	
15 to 18 in 4.00 35.00 1½ to 2 ft 5.00 45.00 2 to 2½ ft 6.00 50.00 2½ ft 8.00	

		-		Or (LL	11 10 11		001	11 131 (1)		
								Each		Per 100
RETINOSP										
	11/2		2		green			3.50	Grows vi 27.50	gorousiy.
	2	to		ft				4.00	35.00	
	21/2	to	3	ft				5.00	45.00	
	3	ft						6.00		
— youn								-15' Gra handso	aceful loc me tree.	ose habit,
	2	to						4.00	35.00	
	$\frac{2\frac{1}{2}}{3}$	to	3 4					6.00 8.50	50.00 75.00	
	4	to	5					12.00	75.00	
pisifera.	Sa	war	a Cy	press.	25'-3	35′ (Quick	grower,	loosely p	yramida l ,
	$1\frac{1}{2}$		2					1.75	12.50	100.00
	$\frac{2}{2\frac{1}{2}}$	to	$\frac{2\frac{1}{2}}{3}$	ft				2.50 3.50	22.50 30.00	175.00 225.00
	$\frac{272}{3}$	to to	4					5.00	40.00	350.00
— aurea	-		_						age brigh	
aurea									ler. Grow	
	11/2	-	2				_	1.75	12.50	100.00
	2	to						2.50	22.50	175.00
	$\frac{2\frac{1}{2}}{3}$	to	3 4					3.50 5.00	30.00 40.00	250.00 350.00
	4	to to	5					7.00	40.00	330.00
plumosa	12	sed to	for s	hearin; in	g into f	forma	al sha	pes. Th 1.25	one of fin ese are fin	ne plants. 60.00
	$\frac{15}{1\frac{1}{2}}$	to	18 2					1.75 2.25	12.50 17.50	85.00 125.00
	2	to						2.75	22.50	175.00
	$\frac{1}{2}\frac{1}{2}$	to	3					4.50	40.00	350.00
	3	to	4					6.00	50.00	400.00
	4 5	to ft	5					8.50 10.00	70.00	
— aurea	•				Cypres		0'-25'		orm vollo	1001.00
— aurea	w W	e h	ave s	elected	a goo	d uni			arm yello	w leaves.
	15	to		in				1.75	12.50	100.00
	1 1/2		2	ft				2.50	20.00	125.00
	$\frac{2}{2\frac{1}{2}}$	to	3	ftft				3.50 5.00	30.00 45.00	250.00 350.00
	3	to						7.00	6.000	330.00
— luteso	ens.	E						ss. 2½'	−3′ Form	ns a low
	br	oad	rou	nd-top	ped b	ush.	Brig	ht sulfur	tipped b	anchlets.
							-		l color an	
	10	to						1.50	12.50	100.00
— nana.	fc	or ro	ck w	me C	ypress.	. 2'	A 1		npact for	n, useful
	6	to	9	in				1.75	15.00	
squarros									of slow same as	
	6	to	9					1.75	15.00	
	9	to						2.25	17.50	

RETINOSPORA squarrosa veitchi. Veitch Moss Cypress. 25'-30' Foliage blue-gray, feathery and dense, giving soft woolly appearance. Broad pyramidal when young. Well furnished specimens.
Broad pyramidal when young. Well furnished specimens. 12 to 15 in
15 to 18 in
1½ to 2 ft
— sulphurea. Sulphur Moss Cypress. 20'–25' Has light yellow tips.
12 to 15 in
15 to 18 in
RHODODENDRON carolinianum. Carolina Rhododendron. 4'-6' Bright
pink flowers, May-June. Compact, bushy. Best in open places.
15 to 18 in
— album. White Carolina Rhododendron. 4'-6' Similar to type, but has white flowers. Foliage slightly larger. 1½ to 2 ft
2 to 2½ ft
catawbiense. Catawba Rhododendron. 6'-9' Large rosy-purple
flowers, May–June. Deep green leaves. Prefers half-shade. 15 to 18 in., Nursery Grown 4.00 35.00 325.00
$1\frac{1}{2}$ to 2 ft., Nursery Grown 5.00 45.00 375.00
2 to $2\frac{1}{2}$ ft., Nursery Grown 6.00 55.00
HYBRID RHODODENDRONS. 3'-8'
Album elegans. Blush pink to white. Tall. 1 1/2 to 2 ft
2 to 2½ ft
$2\frac{1}{2}$ to 3 ft
3 to 4 ft
Everestianum. Rosy lilac, yellow throat.
15 to 18 in 7.00
1½ to 2 ft 8.50
Roseum elegans. Rose.
15 to 18 in
2 to $2\frac{1}{2}$ ft
$2\frac{1}{2}$ to 3 ft
Assorted Hybrids in separate colors.
1 to 1½ ft
$2^{\frac{1}{2}}$ to $2\frac{1}{2}$ ft
maximum. Rosebay Rhododendron. 8'-12' Beautiful light pink
flowers freely produced in May-June. Large handsome foliage—effective in masses where shaded from hot sun.
1½ to 2 ft., Nursery Grown 3.50 30.00 250.00
2 to 3 ft., Nursery Grown 4.50 40.00 350.00
2 to 3 ft., Collected Clumps 4.00 35.00 275.00 3 to 4 ft., Collected Clumps 5.00 45.00 375.00
4 to 5 ft Collected Clumps 7.00 60.00 550.00
5 to 6 ft., Collected Clumps 10.00 90.00
minus. Piedmont Rhododendron. 6'-8' Rather open grower—rose-pink flowers in June–July. Splendid foliage
1½ to 2 ft., Nursery Grown 5.00 40.00
2 to 3 ft., Nursery Grown 6.00 50.00

EVERGREENS AND CONTERS 43						
Each Per 10 Per 100						
TAXUS baccata compacta. $4'-5'$ Deep green form with upright branches. 1 to $1\frac{1}{2}$ ft						
 erecta. Upright English Yew. 6'-8' A good form, developing into a column. Dark green. 						
$\begin{array}{cccccccccccccccccccccccccccccccccccc$						
- repandens. Spreading English Yew. 1½'-2' Spreading hori-						
zontal branches, dark green leaves. Good for low planting. 12 to 15 in						
— washingtoni. Golden Yew. 6'-8' Has attractive yellow foliage.						
12 to 15 in						
canadensis. Canada Yew. 2'-21/2' Spreading, bronzy in winter.						
Prefers shade—good for underplanting. Crimson fruits. 12 to 15 in 3.00 25.00 200.00 15 to 18 in 3.50 30.00 250.00 1½ to 2 ft 5.00						
cuspidata. Japanese Yew. 5'-8' SPREADING FORM. Dark green						
leaves—spreading, bushy. Valuable for foundation planting. 15 to 18 in						
 capitata. Tree Form Japan Yew. 25'-30' This form has a distinct leader and develops into a symmetrical pyramid. 						
2½ to 3 ft						
— nana (brevifolia). Dwarf Japanese Yew. 2'-3' Broad thick leaves,						
blackish green. Slow growing, irregular, spreading—hardy. 9 to 12 in 3.00 27.50 225.00 12 to 15 in 4.00 37.50 325.00 15 to 18 in 5.50 50.00 1½ to 2 ft 8.00						
sieboldi. Siebold Yew. 7'-8' A greatly improved form of the Jananese yew. It has a compact habit, yet vigorous growth. Rich blackish-green thick foliage extremely hardy making a splendid hedge plant or a handsome specimen.						
$\begin{array}{cccccccccccccccccccccccccccccccccccc$						
'HUJA lobbi atrovirens (plicata). Rich shining deep green fleshy leaves.						
2 to 2½ ft 3.75 35.00 300.00 2½ to 3 ft 4.50 40.00 350.00 3 to 4 ft 5.50 50.00 450.00 4 to 5 ft 7.00 60.00						

77	EV	EN	GREENS AND COL	AILEVO		
				Each	Per 10	Per 100
			merican Arborvitae.		Slender	pyramid
7	vith br	oad	l base. Bronzy winter o	coloring—	good acc	ent plant.
		2	ft	1.25	10.00	75.00
2	to	$\frac{2}{2}$	ft	1.75	12.50	100.00
$\frac{2\frac{1}{2}}{3}$		3 4	ftft	2.25	17.50	125.00 300.00
4		5	ft	4.00 6.00	35.00 55.00	300.00
5		6	ft	8.50	33.00	
— compact:		-	ns Dwarf Arborvita		4' Alma	ast globe
			right green. Useful in			JSC GIODE
10	to	12	in	1.25	10.00	75.00
12	to	15	in	1.75	12.50	100.00
15		18	in	2.25	17.50	125.00
1 ½	to :	2	ft	2.75	25.00	175.00
— doug!asi			Douglas Golden Arbe		10'-15'	A broad
			vith golden-green foli			175.00
2 2		2 21/	ftft	2.50 3.50	22.50	175.00 250.00
		$\frac{272}{3}$	ft	4.50	40 00	350.00
3		4	ft	5.50	45.00	400.00
4	to :	5	ft	7.00		
— elegantis	sima.	G	olden Tipped Arborv	itae. 10'	-15' Br	anches in
			ed with yellow. Rich			
1 ½	to 2	2	ft	3.00	27.50	225.00
2	to 2	$2\frac{1}{2}$	ft	3.50	32.50	275.00
$\frac{21}{2}$		3	ft	4.00	37.50	350.00
3		4	ft	5.00	45.00	400.00
— ellwange			om Thumb Arborvita			
1. -	zaves; dunt n	uen	se habit; soft, close t nid. Rich purple win	exture. r	OTHIS IO	w, broad,
12	-	15	in	1.25	10.00	
	_	_				
— globosa.	Glob	<i>ie</i> .	Arborvitae. 2½'-3' compact globe shaped,	Useful	in form	al work.
10 12			in	1.25 1.75	10.00 12.50	75.00 100.00
15		18	in	2.25	17.50	100.00
		2	ft	3.00	27.50	
hououi	Цона	. A	rborvitae. 3'–4' Ov	al in aban	a maarly	as broad
— hoveyi.	s high		Bright green foliage, ve			
10	_	12	in	1.25	10.00	75.00
12		15	in	1.75	12.50	100.00
15	_		in	2.25	17.50	125.00
$1\frac{1}{2}$	to 2	2	ft	2.75	25.00	175.00
I ittle Ce	m (red	CHEN	a nana). Little Gem	Arhorvi	tae 2' A	gem for
			den. Grows broader th			
10		-	in	2.50	22.50	-
12	to 1	15	in	3.50		
— lutea.	Geo. F	Peak	ody Arborvitae. 10°	'-15' Co	nspicuous	s. golden
			m—columnar outline.			n plant.
15		18	in., bushy	2.25	17.50	125.00
$1\frac{1}{2}$	to 2	2	ft	2.75	22.50	175.00
2		3	ft	3.75	32.50	275.00
3	to 4	4	ft	5.50	45.00	400.00

	Each Per 10 Per 100
THUJA occidentalis plicata (douglasi pyrami 10'-20' Rich deep blue-green fo	dalis). Moss Arborvitae.
10'-20' Rich deep blue-green fo	bliage. Short stiff fern-like
branches give pleasing effect in	light and shade. Formal
slender pyramid—hardy. 1½ to 2 ft	1.75 12.50 100.00
2 to 2½ ft	2.25 17.50 125.00
2½ to 3 ft	2.75 22.50 175.00
3 to 4 ft	3.50 27.50 225.00
4 to 5 ft	5.00 40.00
	m —dark green, quite hardy.
12 to 15 in	1.75 15.00 2.25 17.50 125.00
15 to 18 in	2.75 22.50
2 ft	3.50
— pyramidalis. Pyramidal Arborvitae.	15'-30' Retains bright
green coloring throughout winter.	Narrow columnar shape.
Splendid for accents or formal pla	nting. Well shaped plants.
1½ to 2 ft	2.00 17.50 125.00
2 to 2½ ft	2.50 22.50 175.00
2½ to 3 ft	3.00 27.50 225.00
3 to 4 ft	4.00 37.50 350.00
4 to 5 ft 5 to 6 ft	7.00 60.00 550.00 10.00 90.00 800.00
6 to 7 ft	12.00
— riversi. Rivers Arborvitae. 8'-10' A	distinct and viscous subse
vitae forming a shapely broad py	
	2.75 22.50
$1\frac{1}{2}$ to 2 ft	3.50 30.00
$\frac{2}{2}$ to 3 ft	4.00 37.50
3 to 4 ft	5.00 45.00
— rosenthali. Rosenthal Arborvitae. 6'-1	0' Dense rugged columnar
form. Slow grower—good green	in winter. Perfectly hardy.
15 to 18 in	2.25 17.50 125.00
1½ to 2 ft	3.00 27.50 225.00
2 to 2½ ft	3.75 35.00 300.00
2½ to 3 ft	5.00 45.00
3 to 4 ft	6.00 50.00
— umbraculifera. Umbrella Arborvitae. low mushroom shaped form, rich	2'-3' Particularly good—green foliage.
10 to 12 in	1.25 10.00 75.00
12 to 15 in	1.75 12.50 100.00
15 to 18 in	2.25 17.50 125.00
$1\frac{1}{2}$ to 2 ft	2.75 22.50
2 to 2½ ft	3.50
— vervaeneana. Vervaena Arborvitae. 8	'-12' Variegated greenish
yellow foliage, bronzy in winter.	Broadly pyramidal—hardy.
1½ to 2 ft	2.75 22.50 175.00
2 to 2½ ft	3.50 30.00 250.00
2½ to 3 ft	4.00 37.50 350.00
3 to 4 ft	5.00 45.00 400.00
4 to 5 ft	8.00 70.00

46	E	VERGREENS AND CONIFERS	
-		Each P	Per 10 Per 100
THUJA	occidentalis	wareana (sibirica). Siberian Arbo	rvitae. 12'-15'
	Light		amidal—rugged.
	15 to	18 in 1.25	10.00 75.00
	$1\frac{1}{2}$ to		17.50 125.00
	2 to	7.2	22.50 175.00
	$2\frac{1}{2}$ to		35.00
	3 to	3½ ft	50.00
orie	ntalis (BIOT	A). Oriental Arborvitae. 20'-25	7 Rather stiff
		nar habit—bright green foliage, bronze	
	$1\frac{1}{2}$ to		17.50
	2 to	, 2	22.50
	$2\frac{1}{2}$ to		30.00
	3 to	4 ft 4.50	40.00
— a		ua (BIOTA). Goldspire Arborvitae.	7'-8' Golden
	yellov	1 0,	Distinctive.
	$1\frac{1}{2}$ to		30.00 200.00
	2 to	, 2	40.00 350.00
	$2\frac{1}{2}$ to		50.00
	3 to	3½ ft 7.00	
— c	ompacta (Bl	OTA). Siebold Arborvitae. 3'-4' F	orms a compact
		haped specimen. Good persistent fre	_
	12 to 15 to		17.50 27.50
	1½ to		35.00
		4.50	
— e	elegantissima	(BIOTA). Yellow Column Arb	orvitae. 7'-8'
	Assur	nes rich deep golden bronze color in	n winter.
	$1\frac{1}{2}$ to		30.00 250.00
	2 to		40.00 350.00 50.00 450.00
	$2\frac{1}{2}$ to 3 to		65.00 450.00
		· -	
— n		IOTA). Berckman Golden Arborvitae	
		warf planting—compact roundish shap v foliage. Especially good for formal w	
	9 to		17.50 125.00
	12 to	15 in 2.75	22.50 175.00
	15 to		30.00 250.00
	18 to		40.00
-]	pyramidalis a	urea (BIOTA). 10'-12' Forms pyramic	
	$1\frac{1}{2}$ to		25.00
	2 to	3 ft 4.00	35.00
star		dish Arborvitae. 15′–20′ Has fleshy	
		oarse growth. Assumes bronze tones in	-
	$1\frac{1}{2}$ to		25.00 200.00
	2 to		35.00 300.00 45.00 400.00
	$2\frac{1}{2}$ to 3 to		60.00
	4 to	5 ft 8.50	
	5 to	6 ft 10.00	

.60 5.00 40.00

Each Per 10 Per 100
TSUGA canadensis. Canada Hemlock. 75'-90' Most graceful and
adaptable. Useful as clipped hedge or informal planting.
2 to 2½ ft
2½ to 3 ft 6.00 55.00 450.00
3 to 4 ft
4 to 5 ft 12.00 110.00
caroliniana. Carolina Hemlock. 50'-60' Particularly fine evergreen.
2 to $2\frac{1}{2}$ ft
$2\frac{1}{2}$ to 3 ft
3 to 4 ft 8.50 80.00
4 to 5 ft
5 to 6 ft
6 to 7 ft 25.00
VIBURNUM rhytidophyllum. Leatherleaf Viburnum. 6'-8' Large
oblong leaves, deep green above, gray beneath—bright red
berries—a bold handsome shrub but needs a sheltered place.
2 to 3 ft 3.50 30.00
3 to 4 ft 6.00 50.00
NINGA D
VINCA minor. Periwinkle Myrtle. 4" Evergreen ground cover. Deli-
cate lilac-blue flowers in spring. Succeeds best in shade.
Per 10 Per 100 Per 1000
Pot grown
YUCCA filamentosa. Adam's Needle. Each Per 10 Per 100

OUR EVERGREENS are so grown and spaced as to produce the best. They are dug and handled by men of long experience with us, and the best burlap is used to insure a solid natural ball.

Herbaceous Perennials

ALPINE AND ROCK PLANTS LISTED SEPAR	ATEL	Y ON PA	AGE 58.
ACHILLEA millefolium rosea. Pink Yarrow. 2'	Each	Per 10	Per 100
Pink, June–Sept	.25	2.00	18.00
ptarmica Boule de Niege. Ball of Snow Yar- row. 18" White, June–Sept	.25	2.00	15.00
tomentosa. Woolly Yarrow. 1' Yel., June	.30	2.50	20.00
ACONITUM fischeri. Azure Monkshood. 2' Dark blue, SeptOct	.30	2.50	20.00
Spark's variety. 4' Blue, July-Aug	.40	3.50	25.00
AGROSTEMMA coronaria. See LYCHNIS.			
AJUGA genevensis. Geneva Bugle. 6" Dark blue, May-June	.30	2.50	20.00
reptans. Carpet Bugle. 6" Blue, May-June	.25	2.00	18.00
ALTHAEA. Hollyhock. Single and double. Red,	•==	2,00	10.00
pink, white, yellow, in separate colors. July–Aug	.25	2.00	18.00
ALYSSUM saxatile compactum. Dwarf Golden			
Tuft. 1' Yellow, April	.25	2.00	15.00
spinosum. Spiny Alyssum. 6" Silvery leaves, white flowers, April	.40	3.50	30.00
ANCHUSA italica. Italian Bugloss. 4' Gentian			
blue, June–Sept	.30	2.50	20.00
myosotidiflora. Siberian Bugloss. 15" Light blue, May, large round leaves	.40	3.50	25.00
ANEMONE hupehensis. 1' Mauve-pink, Aug	.30	2.50	20.00
japonica Alice. 2½' Large rose-pink	.40	3.50	25.00
— Queen Charlotte. 2½' Semi-Double, pink, SeptOct	.30	2.50	20.00
— Whirlwind. 2½' Semi-Dbl., white, SeptOct.	.30	2.50	20.00
pulsatilla. Pasque Flower. 1' Pur., AprMay	.30	2.50	20.00
ANTHEMIS tinctoria Kelwayi. Kelway Camomile. 2' Yellow, June-Oct	.25	2.00	15.00
AQUILEGIA. Long-spurred hybrids. 2½' Various colors, May-June	.25	2.00	18.00
alpina. Alpine Columbine. 9" Blue, Apr-May	.40	3.50	25.00
caerulea. Colorado Columbine. 2' Blue and white. May–June	.25	2.00	18.00
canadensis. American Columbine. 2' Red and yellow, May-June	.25	2.00	18.00
chrysantha. Golden Columbine. 21/2' Yellow	0.5	0.00	10.00
shades, May-June	.25	2.00	18.00
hybrida fl. pl. 2' Double flowers, various	.30	2.50	20.00
Rose Queen. 2½' Best pink. May-June	.30	2.50	20.00
Silver Queen. Finest white form, May–June	.30	2.50	20.00
vulgaris alba. 2' Vigorous white form	.30	2.50	20.00

TIERDITCEOOD I EREITIMI.			17
	Each	Per 10	Per 100
ARABIS alpina. Alpine Rock Cress. 6" White,	7.0	2.50	20.00
Ápril May — fl. pl. Double Rock Cress. 6" White,	.30	2.50	20.00
April-May	.50	4.00	30.00
— nana. Dwarf Rock Cress. 4" White	.40	3.50	25.00
- rosea. Pink Rock Cress. 4" Pale pink,			
April May	.50	4.00	30.00
ARENARIA montana. Mountain Sandwort. 3" White, May	.30	2.50	20.00
verna caespitosa. Moss Sandwort. 1" Moss- like foliage. White, May Aug	.30	2.50	20.00
ARMERIA. See STATICE	.25	2.00	18.00
ARTEMESIA Silver King. Mugwort. 3' White			
AugSept	.30	2.50	20.00
ASCLEPIAS tuberosa. Butterfly Weed. 2' Orange,			
July-Aug.	.25	2.00	18.00
ASTER alpinus. Rock Aster. 8" Lav. May-June	.30	2.50	20.00
Anita Ballard. 3'-4' Delicate blue	.30	2.50	20.00
Barr's Pink. 4' Large pink	.40	3.50	25.00
Beauty of Colwall. 4' Lavender, AugOct.	.30	2.50	20.00
Blue Gem. 3' 4' Double rich blue	.40	3.50	25.00
Climax. 4'-5' Lavender-blue—a beauty	.30	2.50	20.00
Delicata. 3' Light pink, SeptOct	.40	3.50	25.00
Elta. 3'-4' Pale lilac, choice double	.30	2.50	20.00
Grey Lady. Semi-double, gray-blue	.30	2.50	20.00
Mauve Cushion. I' A new unusual plant, free flowering, delicate mauve	.30	2.50	20.00
Perry's White. 3'-4' Fine white	.30	2.50	20.00
Queen Mary. 3' Blue-lavender	.30	2.50	20.00
Ryecroft Purple. 3'-4' Deep violet purple,			
AugSept	.40	3.50	25.00
Sam Banham. 3'-4' White	.30	2.50	20.00
sub coeruleus. 12" Mauve, June-July	.30	2.50	
AUBRETIA eyri. False Rock Cress. 1½' Lilac,			
April-May	.40	3.50	25.00
BAPTISIA australis. Blue Indigo. 3' May-June	.25	2.00	18.00
BELLIS perennis. English Daisy. Pink and white.	.25	2.00	18.00
BOLTONIA asteroides. White Boltonia. 5'-6'	.25	2.00	18.00
latisquama nana. Dwarf Pinkray Boltonia.			
2' Light pink, AugSept	.25	2.00	18.00
CALAMINTHA alpina. Alpine Savory. 6" Purple	.25	2.00	18.00
CAMPANULA carpatica. Carpathian Bellflower,			
6" Light blue, July	.30	2.50	20.00
— alba. White Carpathian Bellflower, 6" White, July-Aug	.30	2.50	20.00
garganica. Alpine Bellflower. 3" Light blue, June	.50	4.00	30.00
medium. Single Canterbury Bells, 2' Pink, blue, white; separate colors or mixed, June	.25	2.00	15.00

	Each	Per 10	Per 100
CAMPANULA medium calycanthema. Cup and			
Saucer, 2' Blue, pink, white; separate colors or mixed, June	.25	2.00	15.00
persicifolia. Peach-leaved Bellflower, 2'	•20	2.00	13.00
Blue, June-July	.30	2.50	20.00
— Telham Beauty. $2\frac{1}{2}$ A greatly improved			
form, blue	.40	3.50	25.00
— alba. White Peach-leaved Bellflower. 2'			
White, June-July	.30	2.50	20.00
portenschlagiana. Dalmatian Bellflower. 4"			
Dark blue, May-June	.50	4.00	30.00
rotundifolia. Harebell. 9" Blue, June-Aug.	.40	3.50	25.00
CENTAUREA dealbata. Persian Centaurea, 18"	0.5	2.22	
Pink, July-Aug	.25	2.00	15.00
montana. Cornflower, $1\frac{1}{2}$ Blue, July-Aug.	.25	2.00	15.00
— alba. $1\frac{1}{2}$ White, June-Aug	.25	2.00	15.00
CENTRANTHUS ruber. Jupiter's Beard 3'	0.5	2.00	10.00
June-July	.25	2.00	18.00
— albus. White Jupiter's Beard. 3' June-July	.25	2.00	18.00
CERASTIUM tomentosum. Snow-in-Summer.	7.0	2.50	20.00
6" White, May-June	.30	2.50	20.00
CHELONE lyoni. Pink Turtlehead. 2½' Coralpink, Aug.—Sept	.25	2.00	18.00
CHRYSANTHEMUM arcticum. Arctic Daisy.	.23	2.00	10.00
1½' White, Sept.—Nov	.30	2.50	
— Etoile d'Or. $2\frac{1}{2}$ ' The best Shasta Daisy,			
White, July-Sept	.40	3.50	25.00
uliginosum. Giant Daisy. 3' White, June-Sept.	.25	2.00	15.00
LARGE FLOWERING TYPE			
Barbara Cumming. Deep yellow. Early.			
Comoleta. Yellow shaded orange. Late.			
Cranfordia. Clear golden yellow.			
Lucifer. Rich deep red. Late.			
-			
Oconto. Pure white very large.			
ASTER FLOWERING			
Adelaide. Rich red well formed.			
Pink Doty Light pink good form			
Captain Cook. Dark rose-pink. Late. Pink Doty. Light pink good form. Red Doty. Rosy red.	FRC	$M 2\frac{1}{2}$ "	POTS
White Doty. Pure white globular flower.	.25	2.00	18.00
BUTTON TYPE	.23	2.00	10.00
Ethel. Red. Compact habit.			
Irene. Dainty white.			
Rodell. Rich yellow rather dwarf.			
SINGLE FLOWERING			
Alice Howell. Warm yellow good grower.			
Bronze Buckingham. Coppery bronze.			
Gypsy Girl. Splendid bronzy red.			
Mrs. Calvin Coolidge. Cardinal red. Mrs. W. E. Buckingham. Salmon-pink			
_			
CIMICIFUGA racemosa. Cohosh Bugbane. 3'	30	2.50	20.00
White, July-August	.50	2.50	20.00

TIERBITCE CO I EREITINI	LD		51
CLEMATIS davidiana. 2½' Lavender, fragrant,	Each	Per 10	Per 100
Aug.—Sept	.40	3.50	25.00
integrifolia. 2' Solitary blue flowers, June-Aug.	.40	3.50	25.00
recta. Ground Clematis. 2' White, July-Aug.	.40	3.50	25.00
COREOPSIS lanceolata grandiflora. Big Coreopsis. 2' Yellow, June-Oct	.25	2.00	18.00
— fl. pl. Double Coreopsis	.40	3.50	25.00
DELPHINIUM belladonna. Larkspur, 2½' Light blue, June-Oct	.25	2.00	18.00
bellamosum. Larkspur. 2' Dk. blue, June-Oct.	.25	2.00	18.00
chinensis album. White Slender Larkspur. 2' White, June-Oct		2.00	18.00
Hollyhock Wrexham. Hollyhock strain, fine	.23	2.00	10.00
selection	.75	6.00	50.00
Gold Medal Hybrids. 2½′ Finest strain procurable, June-Oct	.40	3.50	25.00
DIANTHUS allwoodi Jean. 1' Fragrant white,			
May-Oct.	.40	3.50	25.00
- Robert. 1' Fragrant rose-pink, May-Oct.	.40	3.50	25.00
alpinus. Alpine Pink. 3"-4" Pink. May-June	.40	3.50	30.00
barbatus. Sweet William. 18" Double flower, May-June. White, Pink, Red-in sep-	2.5	2.00	10.00
arate colors, or mixed	.25	2.00	18.00 25.00
deltoides Brilliant. Maiden Pink. 10"	.40	3.30	25.00
Bright rose pink, June	.30	2.50	18.00
Etoile de Lyon. Crimson, clove scented	.40	3.50	30.00
glacialis neglectus. Ice Pink. 4" Pink MayJune	.40	3.50	30.00
Gladys Cranfield. Large white, wine red center	.40	3.50	30.00
Her Majesty. Double white, May-June	.40	3.50	25.00
plumarius semperflorens. Perpetual Pink. 1' Pink and white. May-Sept	.25	2.00	18.00
— Essex Witch. 1' Pink. May-July	.40	3.50	25.00
DICENTRA spectabilis. Bleeding Heart. 2' Pink and white, May-June	.60	5.00	40.00
formosa. Western Bleeding Heart. I' Rose,			
May-July	.40	3.50	25.00
DICTAMNUS albus. Gasplant. 2½' White,	60	<i>5</i> 00	10.00
July-Aug albus ruber. 3' Rosy-purple kind, July-Aug	.60 .60	5.00	40.00 40.00
	,00	3.00	40.00
DIGITALIS Giant Shirley. 4'-5' Fine strain. Various colors	.30	2.50	20.00
grandiflora. Yellow Foxglove. 2½' Yellow. June-July	.25	2.00	
— alba. $2\frac{1}{2}$ ′ White, June-July	.25	2.00	18.00
isabellina. Yellow shade	.25	2.00	18.00
DRACOCEPHALUM ruyschiana. Siberian Drag- onhead. 1' Blue, June-July	.40	3.50	25.00
ECHINACEA purpurea. Purple Coneflower. 3' Reddish-purple, July-Oct	.30	2.50	20.00

E	ach	Per 10	Per 100
ERIGERON coulteri. Fleabane. 15" Mauve, July	.25	2.00	18.00
speciosus. Oregon Fleabane. 11/2' Blue-			
violet, July	.30	2.50	20.00
ERINUS alpinus. Liver-balsam. 4" Pink,			
April–May	.40	3.50	30.00
ERYNGIUM planum. Eryngo. 2' Steel blue, July-		0.00	00.00
Sept	.30	2,50	18.00
EUPATORIUM coelestinum. Blue Mist-Flower.	.50	2.50	10.00
2' Blue, Aug.—Oct	.25	2.00	18.00
	.43	2.00	10.00
— fraseri. Snow Thoroughwort. 3' White, July-Sept	.25	2.00	18.00
* * *	.23	2.00	10.00
EUPHORBIA corollata. Flowering Spurge. 1½'	25	2.00	10.00
White, June–Aug	.25	2.00	18.00
FUNKIA coerulea. Blue Plantain Lily. 18"	0.5	0.00	10.00
Purplish blue, July-Aug.	.25	2.00	18.00
subcordata grandiflora. White Plantain Lily.			
18" White, July-Aug	.50	4.00	30.00
variegata. Variegated Leaf Funkia. 18" Blue,			
July-Aug.	.25	2.00	18.00
GAILLARDIA Bremen. 2½' Best form intro-			
duced, stiff stems, large orange and red			
flowers. June-Sept	.30	2.50	20.00
grandiflora. Blanket Flower. 18" Yellow, red,			
May-Nov	.25	2.00	18.00
GERANIUM sanguineum. Cranesbill. 11/2' Red			
May-Aug	.30	2.50	20.00
GEUM chiloense fl. pl. 18" Double crimson.	.30	2.50	20.00
June-Sept			
— Mrs. Bradshaw. $1\frac{1}{2}$ Vivid red, June-Sept.	.30	2.50	20.00
GLOBULARIA trichosanthes. Syrian Globe			•
Daisy. 6" Violet blue. May-June	.40	3.50	25.00
GRASSES—Festuca glauca. Dwarf Blue Stem			
Grass. 1' Steel blue leaves	.30	2.50	20.00
GYPSOPHILA cerastioides. Mouse-ear Gypsophil		3.50	25.00
4" White, May	.40	3.30	23.00
paniculata. Baby's Breath. 2' White, June-	25	2.00	18.00
July.	.25	2.00	10.00
- Bristol Fairy. Double Baby's Breath, 3'	60	5,00	40.00
Double white, June-Sept.	.60	3.00	40.00
repens. Creeping Gypsophila. 4" White,	7.0	0.50	20.00
June-July	.30	2.50	20.00
HELIANTHEMUM chamaecistus mutabile		7. 50	25.22
aureum. 8" Yellow, June-August	.40	3.50	25.00
- Ball of Fire. Sunrose. 9" Double red.			
June-July	.40	3.50	25.00
- Bride. 12" White flowers, silvery foliage	.40	3.50	25.00
— Rose Queen. 8" Single pink	.40	3.50	25.00
— Double Orange. 8" Very double	.40	3.50	25.00
HELENIUM autumnale superbum. Sneezeweed.	,		
4'-5' Golden yellow, Aug.—Sept	.30	2.50	20.00
pumilum magnificum. Dwarf Sneezeweed. 2½' Bright yellow	.50	4.00	30.00
272 Dright yellow	.50	4.00	30.00

HENDACEOUS PENENNIA	LS		33
	Each	Per 10	Per 100
HELENIUM Riverton Gem. Bronze Sneezeweed. 3' Bronze, Aug. Sept	.40	3.50	25.00
HELIANTHUS multiflorus fl. pl. Thin Leaf Sunflower. 4'-5' Yellow. Aug-Sept.	.30	2.50	20.00
HELIOPSIS scabra excelsa. New. 3' Rich yellow, semi-double. July Oct	.30	2.50	20.00
HEMEROCALLIS flava. Lemon Day Lily. 2'			
Yellow, May	.30	2.50	20.00
Dr. Regel. 2' Orange yellow, fragrant, May	.30	2.50	20.00
Sovereign. 2½' Deep orange, June	.30	2.50	20.00
yellow, July HEPATICA acutifolia. Sharp lobe Hepatica.	.25	2.00	18.00
6" 8" Blue, April-May	.40	3.50	25.00
HESPERUS matronalis. Dame's Rocket. 2'	.25	2.00	18.00
Pink. May-June			
- albus. White Rocket. 2' May-June	.25	2.00	18.00
HIBISCUS. Mallow Marvel. 4'-6' Pink, red, white, separate. Aug-Sept	.30	2.50	20.00
	.50	2.50	20.00
HEUCHERA brizoides. Pinkbells. 1½' Pale pink,	.40	3.50	
May-Sept Perry's white. 1½′ Pure white, June Sept	.50	4.00	30.00
Pluie de Feu. $1\frac{1}{2}$ Bright red, June July	.50	4.00	30.00
Rosa mundi. Coral Bells. 1½' Pink, Jn-Sept	.50	4.00	30.00
sanguinea alba. Snowdrop. 1½ 'Wh., June-Sep.	.40	3.50	25.00
HOLLYHOCK. See ALTHEA. In separate colors.	.25	2.00	18.00
IBERIS gibraltarica. Gibraltar Candytuft. 8" Pale lilac, May	.30	2.50	20.00
sempervirens. Candytuft. 10" Wh., AprMay	.30	2.50	18.00
— Little Gem. 6" White, April	.30	2.50	20.00
— Snowflake. $1\frac{1}{2}$ Large pure white flowers	.40	3.50	25.00
IRIS cristata. Crested Iris. '4" Rich blue, May	.30	2.50	20.00
flavissima (arenaria). Goldbeard Iris. 9"			
Pale yellow, May	.40	3.50	25.00
germanica. Fleur-de-lis. (German Iris.) 2'-3'			
Dream—Rosy-pink	.50	4.00	30.00
Lohengrin—Mauve-rose	.25	2.00	15.00
Ma Mie—White pencilled blue	.30	2.50	20.00
Mother of Pearl—Porcelain blue	.40	3.50	25.00
Nibelungen—Bronze	.25	2.00	15.00
Pallida dalmatica—Lavender	.30	2.50	20.00
Rhein Nixe White-purple	.25	2.00	15.00
kaempferi. Japanese Iris. 2'-2½' Named	.50	4.00	30.00
	se-V	elvety pu	rple, tall.
pumila cyanea. Pygmy Iris. 9" Violet, May	.25	2.00	18.00
— Fairy. 6" Pale blue, May	.50	4.00	30.00
 Schneecuppe. 9" Large pure white, May 	.40	3.50	25.00
sibirica. Siberian Iris. 2' Purple, May-June	.25	2.00	18.00
— Perry's Blue. 3' Vivid blue, May-June	.50	4.00	30.00

TIERBRICEO OB TERENTALI	LLD		
I	Each	Per 10	Per 100
LAVENDULA vera. Lavender. 18" Blue, July-Aug.	.30	2.50	20.00
— Munsted. Dwarf Lavender. 8"-10" Choice compact form. May-June	.40	3.50	30.00
LIATRIS pycnostachya. Cattail Gayfeather. 4'	.10	0.00	30.00
Purple, July-Aug	.40	3.50	25.00
LINUM perenne. Blue Perennial Flax. 1' June-July	.25	2.00	18.00
— album. White Flax. I' White, June-July	.30	2.50	
LOBELIA cardinalis. Cardinal Flower. 3' Red,			
July-Aug.	.30	2.50	20.00
syphilitica. Blue Lobelia. 2½' July–Sept	.30	2.50	20.00
LUPINUS polyphyllus. Lupine. 3' Blue, June-July — albiflorus. 3' White, June-July	.30	2.50 2.50	20.00
— yellow. 3' Best yellow shades	.40	3.50	30.00
— moerheimi. Pink Lupine.	.40	3.50	25.00
Assorted Hybrids	.40	3.50	30.00
LYCHNIS alpina. Arctic Campion. 6" Rose-	.10	3.30	30.00
pink, April	.30	2.50	20.00
viscaria fl. pl. 1' Double pink, May-June	.40	3.50	25.00
LYTHRUM salicaria roseum. Rose Loose-strife.	7 .0	0.50	22.22
2½' Pink, July-Aug	.30	2.50	20.00
MAZUS rugosus. 4" Dainty lilac flowers, May	.40	3.50	25.00
MERTENSIA virginica. Virginia Bluebell. 1½' Blue to pink, May	.30	2.50	20.00
MONARDIA didyma Cambridge Scarlet. Oswego	25	2.00	18.00
Bee Balm. 2½ Red, June-Aug	.25	2.00	10.00
MYOSOTIS scorpioides (palustris). Forget-Me-Not. 10" Blue, May-Sept	.25	2.00	18.00
NEPETA mussini. Gray Catmint. 10" Mauve. April-June. Small gray foliage	.30	2.50	20.00
NIEREMBERGIA rivularis. Whitecup. 4"			
White, June-Aug	.30	2.50	20.00
OENOTHERA missouriensis. Ozark Sundrops. 9" Yellow, June-Aug	.30	2,50	20.00
speciosa. White Sundrops. 11/2' White,			
speciosa. White Sundrops. 1½' White, AugSept	.30	2.50	20.00
youngi. Evening Primrose. 2' Yellow,	25	2.00	18.00
June-Aug	.25	2.50	15.00
Pot grown. 125.00 thousand.		2.30	13.00
PAEONIA. Peony. 2½'-3½' May–June.			
Baroness Schroeder. Flesh white	1.25	10.00	80.00
Edulis superba. Pink	.80	7.00	50.00
Eugene Verdier. Pale pink	.80	7.00	50.00
Festiva maxima. White	.80	7.00	50.00
Mons. Jules Elie. Pink	1.25	10.00	80.00
PAPAVER orientalis Beauty of Livermore.		4.00	70.00
Crimson	.50	4.00	30.00
Mrs. Perry. $2\frac{1}{2}$ Orange apricot	.50	4.00 4.00	30.00 30.00
Perry's White	.50	4.00	30.00
1 city 5 winte	.50	4.00	30.00

	Each	Per 10	Per 100
PENTSTEMON angustifolius (coeruleus). Blue			
Beard Tongue. 2' Blue, June-July	.40	3.50	25.00
barbatus Pink Beauty. 2½' A desirable ne	W		
form, bright pink, June-July	.60	5.00	
— Torreyi. Torrey Beard Tongue. 3' Red,		0.00	10.00
June-Aug.	.25	2.00	18.00
PHLOX divaricata. (canadensis) 1' Lavender			
blue, May	.30	2.50	20.00
ovata(carolina) Mountain Pink. 10" Rosy-red	.30	2.50	20.00
subulata. Moss pink. 4" Pink, April-May	.25	2.00	18.00
- alba. White Moss Pink. 4" White, Apr.May	.25	2.00	18.00
- Fairy. Pale blue. Same habit as Vivid	.50	4.00	30.00
- G. F. Wilson. Lavender Moss Pink. 4"			
Lavender blue, April-May	.40	3.50	25.00
— Vivid. 6" Clear bright rose, splendid evergreen			
foliage; spreads slowly, best dwarf phlox	.50	4.00	30.00
DECUSSATA. Garden Phlox. 11/2' July Sept.			
Deutchland (Homeland). Brilliant red	.40	3.50	25.00
Enchantress. Rich salmon pink	.30	2.50	20.00
Fire Glow. Bright orange scarlet	.35	3.00	25.00
Hindenburg (Commander). Vivid red	.40	3.50	25.00
Jules Sandeau. Dwarf pink	.30	2.50	20.00
Miss Lingard. Early tall white	.25	2.00	18.00
Mrs. Jenkins (Independence). White	.25	2.00	18.00
Rheinlander. Salmon pink, red eye	.25	2.00	18.00
Thor. Deep salmon pink	.25	2.00	18.00
•	•=0	2.00	10.00
PHYSALIS franchetti. Chinese Lantern. 2' Orange red seed pods, Oct	.25	2.00	15.00
	.23	2.00	13.00
PHYSOSTEGIA virginiana. False Dragonhead. 2½' Pink, June–July	.25	2.00	18.00
Vivid. 2' Large deep pink, Aug	.40	3.50	25.00
	.40	3.30	23.00
PLATYCODON grandiflorum. Balloon Flower. Light blue, June-July	.25	2.00	18.00
— album. 18" White, June-July	.25	2.00	18.00
PLUMBAGO largentae. Blue Leadwort. 9"	.23	2.00	10.00
The Leave of the pentage of the Leave of the	.40	3.50	25.00
Blue, Aug. Sept	.40	3.30	23.00
POLEMONIUM caeruleum. Greek Valerian. 15" Sky blue, June-July	.30	2.50	20.00
	.50	2.50	20.00
humile (Richardsoni). Jacob's Ladder 1' Blue, June-July	.30	2.50	20.00
POTENTILLA tridentata. See Evergreens, page 39.	.50	4.00	30.00
	.30	4.00	30.00
PRIMULA acaulis (vulgaris.) English Primrose. 6" Pale yellow, April–May	.40	3.50	30.00
auricula. Auricula. 5" Various	.40	3.50	30.00
cachemiriana. Kashmir Primrose. 10"	.40	3,50	30.00
Purplish blue	.50	4.00	30.00
elatior. Oxlip. 8" Flowers in umbels, various	.50	4.00	30.00
colors, May	.30	2.50	20.00
veris duplex. Hose-in-Hose Cowslip. 6"	.50	2.50	20.00
This is the true semi-double yellow strain			
that is so scarce	.60	5.00	40.00

TIEROTICE CONTINUE	LLO		
	Each	Per 10	Per 100
PYRETHRUM hybridum. Painted Lady. 2' Double mixed, July–Aug	.25	2.00	18.00
RUDBECKIA speciosa (newmanni). Shorov			
Cone-flower. 2' Yellow, Aug.	.25	2.00	18.00
SALVIA azurea grandiflora. Azure Salvia. 3'	7.0	2.50	20.00
Light blue, Augfarinacea. Mealycup Sage. 2½" Pale-blue	.30	2.50	20.00
July-Aug	.25	2.00	18.00
pitcheri. Pitcher Salvia. 3' Gentian blue	.30	2.50	20.00
pratensis. Meadow Sage. 2' Violet-blue.			
June-July	.25	2.00	18.00
sclarea. Clary. 2' Pale blue	.25	2.00	18.00
SAPONARIA ocymoides splendens. Rock Soap-	70	2.50	20.00
wort. 1' Red, May-JulySCABIOSA caucasica. Cancasian Scabiosa. 2'	.30	2.50	20.00
Lilac, June-Aug	.40	3.50	25.00
SEDUM acre. Goldmoss. 3" Yellow, May-June	.30	2.50	18.00
album. White Stonecrop. 3" White, May-June	.25	2.00	18.00
altissimum. 5" Greenish yellow, July	.40	3.50	25.00
anglicum. 3" True green leaved variety.			
White flowers	.40	3.50	25.00
dasyphyllum. Leafy Stonecrop. 3" Miniature	40	7.50	25.00
gray succulent leaves all clustered together	.40	3.50	25.00
kamtschaticum. Orange Stonecrop. 8" Yellow	.40	3.50	25.00
oreganum. 4" Round fleshy leaves. Yellow	.40	3.50 2.50	25.00
reflexum. 6" Yellow, Junesarmentosum. Stringy Stonecrop. 2" Yellow	.25	2.00	20.00
sexangulare. Hexagon Stonecrop. 4" Dark	.23	2.00	13.00
green foliage, yellow flowers, June–July	.25	2.00	15.00
sieboldi. Siebold Stonecrop. 6"-8" Pk., Aug. – Sep		2.50	20.00
spectabile Brilliant. Showy Stonecrop. 11/2'			
Large leaves, rosy-red flowers, July-Sept	.30	2.50	20.00
spurium. Running Stonecrop. Pink, July-Aug	.30	2.50	20.00
stoloniferum. 6" Purplish-pink, July, Aug	.30	2.50	20.00
SEMPERVIVUM hybrids. 2"-4"	.25	2.00	15.00
SIDALCEA Rosy Gem. Prairie Mallow 2'	.30	2,50	20.00
Rose-pink. June–JulySILENE alpestris. Alpine Catchfly. 5" Pink,	.50	2.30	20.00
May	.30	2.50	20.00
maritima fl. pl. Double Sea Campion. 6"			
Double white, June, neat habit	.50	4.00	30.00
schafta. Schafta Catchfly. 6" Pink, June-Sept.	.30	2.50	20.00
SPIREA aruncus. Goatsbeard. 4' White, June	.50	4.00	30.00
STACHYS lantana. Woolly Betony. 18" Purple	.25	2.00	18.00
STATICE armeria laucheana. Thrift. 6" Red	.25	2.00	18.00
— cephalotes rubra. 10" Red. June-July	.60	5.00	40.00
latifolia. Sea Lavender. 2' Lilac-blue, July-Aug.	.25	2.00	18.00
maritima alba. White Thrift. 6" May-June	.30	2.50	20.00
— splendens. 6" Rich red form. May–June	.30	2.50	20.00
STOKESIA laevis cyanea. 2' Lilac-blue, July-Aug.	.25	2.00	18.00
— alba. 2' White, July-Aug	.25	2.00	18.00

HERBACEOUS PERENNIAL	S		57
	Each	Per 10	Per 100
TEUCRIUM chamaedrys. Germander. 1' Shrubby			= 0 0 0
dark green foliage purple flowers July Aug		4.00	30.00
THALICTRUM aquilegifolium. Columbine Meado	wrne. .40	3,50	25.00
2' Rosy-purple, June-July	.40	3.30	25.00
dipterocarpum. Yunnan Meadowrue. 3'-4' Mauve, AugSept	.40	3,50	25.00
THYMUS citriodorus. Common Thyme. 1'	.10	3.30	23.00
Purplish, June-July	.40	3.50	25.00
serpyllum coccineum. Mother of Thyme. 2"	.40	3.50	25.00
— album. White Thyme. 3" Green foliage,		0.00	=0.00
white flowers, June-July	.40	3.50	25.00
TRITOMA hybridus Cardinal. 2½' Brilliant red,			
Aug-Sept	.40	3.50	25.00
pfitzeri. Bonfire Torchlily. 2½' Red and yellow, Aug.–Sept.			
and yellow, Aug.—Sept.	.30	2.50	20.00
TUNICA saxifraga. Tunic Flower. 6" Light			
pink, July-Sept	.30	2.50	20.00
VALERIANA officinalis rubra. Valerian. 3'-4' Red, June-July	0.5	2.00	10.00
Red, June-July	.25	2.00	18.00
VERBENA canadensis. Canada Verbena. 6"			
Bluish purple, May	.40	3.50	25.00
VERONICA filiformis. 2" Rich ground cover,	7.0	0.50	20.00
pale blue flowers, April-May	.30	2.50	20.00
gentianoides. Gentian Speedwell. 8" Blue.	.4C	3.50	25.00
We have the true dwarf type	.40	3.30	23.00
incana. Woolly Speedwell. 1' Silvery gray leaves, violet blue flowers, July-Aug	.30	2.50	20.00
longifolia subsessilis. Clump Speedwell. 2'	.50	2.50	20.00
Violet-blue, Aug	.30	2.50	20.00
— Blue Jay. $2\frac{1}{2}$ Lighter blue, stronger			
growing form of above	.40	3.50	25.00
pectinata rosea. Rosy Comb Speedwell. 2"			
Woolly foliage, rose pink, June	.60	5.00	40.00
repens. Creeping Speedwell. 2" Blue, May.	.30	2.50	20.00
rupestris nana. Dwarf Rock Speedwell. 1"			
Deep blue, April-Mayspicata. Spike Speedwell. 1½' Blue, June-July	.40	3.50	25.00
spicata. Spike Speedwell. 1½' Blue, June-July	.30	2.50	20.00
spuria (amethystina). Bastard Speedwell.	7.0	0.50	20.00
2' Blue, May-June. — Royal Blue. 1½' Rich blue, June-July teucrium rupestris Heavenly Blue. 9" Rich	.30	2.50 3.50	20.00 25.00
teucrium rupestris Heavenly Blue. 9" Rich	.40	3.30	23.00
blue. June-July	.30	2.50	20.00
VIOLA Admiration. 6" Rich violet, May-Oct.	.25	2.00	18.00
Apricot Queen. 6" Distinct brownish yellow,			
May-Oct	.35	3.00	25.00
G. Wermig. Violet blue Jersey Gem. 6" Rich violet, May-Aug	.40	3.50 3.50	25.00 25.00
pedata. Bird's Foot Violet. 6" Lilac,	.40	5.50	25.00
April-May	.35	3.00	25.00
April-May	.25	2.00	18.00
Yellow Perfection. 6" Yellow, May-Oct.	.25	2.00	18.00
VINCA minor. Periwinkle. 4" Lilac blue, April-		0.50	15.00
May. Pot grown. 125.00 thousand		2.50	15.00
YUCCA filamentosa. Adam's Needle. 4'-5'	.40	3.50	25.00
Creamy white. June-July	.40	5.50	23.00

PLANTS SUITABLE FOR ROCK GARDEN-Herbaceous Perennials

Acaena microphylla Achillea tomentosa, 1' Adonis amurensis fl. pl. 1' Aethionema grandiflorum 6" Ajuga genevensis, 6" Ajuga repans 6" Alyssum saxatile compactum, 1' Alyssum spinosum, $6^{"}$ Androsace chumbyi, 4" Anemone pulsatilla, 12" Aquilega alpina, 9" Arabis alpina, 6" Arabis alpina flore pleno, 7" Arabis alpina rosea, 4" Arenaria caespitosa I" Arenaria montana, 3" Aster alpinus, 8" Aster sub coeruleus, 12" Aubretia deltoidea 6' Bellis perennis, 5" Bellis perennis flore pleno, 6" Bellis perennis monstrosa rosea, 6" Campanula carpatica, 6" Campanula carpatica alba, 6" Campanula garganica, 3" Campanula portenschlagiana, 4" Campanula rotundifolia, 9" Cerastium tomentosum, 6" Dianthus alpinus, 3" Dianthus caesius, 8" Dianthus deltoides, 8" Dianthus neglectus 4" Dicentra formosa, 1' Dracocephalum ruyschiana, 1' Erinus alpinus, 4" Funkia subcordata minor, 8" Geum chiloense (coccinea), 1' Geum chiloense Mrs. Brad., $1\frac{1}{2}$ ' Globularia trichosanthes, 6" Grasses, Festuca glauca' 1' Gypsophila cerastioides, 4''Gypsophila repens, 4''Helianthemum in variety, 8" Hepatica triloba 6" Hepatica acutifolia 6" Heuchera brizoides, $1\frac{1}{2}$ Iberis gibraltarica, 8" Iberis Little Gem, 6" Iberis sempervirens, 10" Iris cristata, 4" Iris excelsa, 6" Iris Schneecuppe, 6" Iris pumila in variety, 8" Lavendula vera munsted, 1' Linum perenne, 1' Linum perenne album, 1'Lychnis alpina, 6" Mazus rugosus 4" Myosotis scorpioides, 10" Myosotis Barr's alpine blue, 6" Nepeta mussini, 10" Nierembergia rivularis, 4" Oenothera missouriensis, 9"

Papaver alpinum, 10" Papaver nudicaule, 1' Phlox amoena, 4" Phlox apple blossum Phlox divaricata, 1 Phlox nelsoni, 4" Phlox subulata, 4" Phlox subulata alba, 4" Phlox subulata vivid, 6''Phlox subulata G. F. Wilson, 4" Plumbago larpentae, 9" Polemonium humile, 1' Polemonium reptans, 8" Primula auricula, 5" Primula cachemiriana, 10" Primula elatior, 8" Primula japonica, 9" Primula veris, 6" Primula veris hose-in-hose, 6" Primula acaulis (vulgaris), 6" Saponaria ocymoides splendens, 1' Sedum acre, 3" Sedum album, 3" Sedum altissimum Sedum dasyphyllum 3" Sedum divergens, 6" Sedum hispanicum, 4" Sedum kamschaticum, 8" Sedum reflexum, 6''Sedum rupestre, 6"-8" Sedum sarmentosum, 2" Sedum sexangulare Sedum sieboldi, 6"-8" Sedum stoloniferum, 6" Sempervivum in variety Silene alpestris, 5" Silene maritima fl. pl. 6" Silene schafta, 6" Statice armeria laucheana, 6" Teucrium chamaedrys, 1" Thymus serphyllum album, 2" Thymus serphyllum coccineum, 3" Thymus serphyllum lanuginosus 2" Thymus serphyllum splendens, 3" Tunica saxifraga, 6" Tunica saxifraga fl. pl. 8" Verbena canadensis, 6" Veronica filiformis 2" Veronica gentianoides, 8" Veronica pectinate, 2" Veronica repens, 2" Veronica rupestris nana, 1" Veronica teucrium rupestris, 4" Vinca minor, 4" Viola Admiration, 6" Viola Blue Perfection, 6" Viola cornuta, 8'' Viola gracilis 8" Viola Jersey gem, 6" Viola odorata Gov. Herrick, 4" Viola pedata, 6" Viola Rose Queen Viola White Perfection, 6" Viola Yellow Gem, 6"

PLANTS SUITABLE FOR THE ROCK GARDEN Evergreens

Arctostaphylos uva-ursi Azalea amoena, 2½'-3' Azalea Hinodegiri, 3'-4' Calluna vulgaris, 1'-2' Cotoneaster horizontalis, $1\frac{1}{2}'-2'$ Cotoneaster microphylla, $2'-2\frac{1}{2}$ '
Cotoneaster perpusilla, $1\frac{1}{2}$ ' Cotoneaster thymifolia, $1\sqrt[7]{2}'-2'$ Daphne cneorum, 1' Epigaea repens, 6" Euonymus radicans minimus, 2'-3'Euonymus japonicus microphyllus Gaultheria procumbens Juniperus chinensis sargenti, $1\frac{1}{2}$ Juniperus communis cracovica, 4'-5' Juniperus communis suecica na., 3' Juniperus communis depressa plum. Juniperus conferta, $l'-l\frac{1}{2}$ Juniperus horizontalis, $l'-l\frac{1}{2}$ Juniperus horizontalis doug., $l'-l\frac{1}{2}'$ Juniperus japonica, 3'-4' Juniperus japonica aurea, 2'-3' Juniperus squamata meyeri, 3'-4'Juniperus squamata variegata Leiophyllum buxifolium, 18"

Lonicera pileata, 2' Mitchella repens, 4" Pachistima canbyi 3"-4" Picea glauca conica, 3' Picea excelsa procumbens, $I\frac{1}{2}'-2'$ Picea excelsa conica, 6'-7' Pinus densiflora umbraculif., 3'-4' Pinus montana mughus, $2\frac{1}{2}$ '-3' Potentilla tridentata, 8" Retinospora obtusa grac. com. 4'-5' Retinospora obtusa grac. nana, 2' Taxus baccata compacta, 3'-4' Taxus baccata erecta, 3'-5' Taxus baccata repandens, $1\frac{1}{2}'-2'$ Taxus canadensis, 2'-21/2 Taxus cuspidata nana, 2'-3, Thuja occidentalis compacta, 2'-4' Thuja occidentalis globosa, $2\frac{1}{2}$ '-3' Thuja occidentalis pumila, 2'-21/2' Thuja occidentalis recurva nana, 2' Thuja occidentalis umbraculif. 2'-3' Thuja orientalis compacta, 3'-4'

Deciduous Shrubs

Caryopteris incana, 2'-3'
Ceanothus americana, 3'-4'
Cytisus scoparius, 4'-5'
Deutzia gracilis, 3'
Genista tinctoria, 3'
Hypericum buckleyi, 1'
Hypericum moserianum, 2'
Hypericum patulum grandifl. 2½'
Hypericum patulum Henryi, 2'-3'
Jasminum nudiflorum, 3'

Leiophyllum prostratum

Lonicera syringantha, 3'-5'
Lonicera syringantha wolfi, $2\frac{1}{2}'-3'$ Lonicera spinosa alberti, 2'
Lonicera thibetica, 3'-4'
Potentilla fruticosa, 3'-4'
Rosa rugosa repens alba
Rosa spinosissima, 3'-4'
Spiraea japonica, 3'
Viburnum opulus nanum, $1\frac{1}{2}'-2'$

Thuja orientalis nana aurea, $2\frac{1}{2}'-3'$

GROUND COVERS For Shady Places

Asarum shuttleworthi
Epigaea repens
Euonymus radicans minimus
Galax aphylla
Gaultheria procumbens
Hedera helix and varieties
Mitchella repens

Pachistima canbyi Pachysandra terminalis Shortia galacifolia Taxus canadensis Vaccineum vitis-idaea Vinca minor

For Sunny Places

Arctostaphyllos uva-ursi Calluna vulgaris and varieties Juniperus communis depressa Juniperus conferta Juniperus horizontalis Juniperus sargenti Juniperus depressa plumosa Leiophyllum buxifolium Leiophyllum prostratum Pachysandra terminalis Zanthorhiza apiifolia

PLANTS FOR SHADED SITUATIONS Deciduous Trees and Small Shrubs

Acanthopanax pentaphylla, 7'-8' Amelanchier canadensis, 12'-15' Aronia melanocarpa, 8'-10' Aronia arbutifolia, 6'-8' Azalea arborescens, 10'-12' Azalea nudiflora, 6'-8' Azalea vaseyi, 5'-6' Azalea viscosa, 4'-5' Benzoin aestivalis, 10'-12' Calycanthus floridus, 4'-5' Ceanothus americanus, Cephalanthus occidentalis, 5'-6' Cercis canadensis, 12'-15' Chionanthus virginica, 15'-18' Clethra alnifolia, 4'-5'Cornus alternifolia, 15'-18' Cornus amomum, 8'-9' Cornus florida, 15'-25' Cornus florida rubra, 15'-20' Halesia tetraptera, 12'-15'

Hamamelis virginiana, Hydrangea arborescens, 4'-5' Hydrangea quercifolia, 3'-4' Hypericum aureum, 3'-4' Ligustrum ibota regelianum, 5'-6' Ligustrum vulgare, 10'-12' Lonicera fragrantissima, 6'-8' Lonicera morrowi, 7'-8' Lonicera tatarica, 9'-10' Myrica cerifera, 4'-5' Oxydendrum arboreum, 25'-30' Philadelphus, 9'-10' Physocarpus opulifolia, 9'-10' Rhodotypos kerrioides, 4'-5' Rubus odoratus, 5'-6'Symphoricarpos racemosa, 5'-6' Symphoricarpos vulgare, 4'-5' Viburnum dentatum, 10'-12' Viburnum lentago, 18'-20' Viburnum molle, 10'-12'

Evergreens

Mahonia aquifolium, 4'-5'
Pachysandra terminalis, 6''-8''
Rhododendron carolinianum, 5'-6'
Rhododendron cataw. hybrids, 3'-8'
Rhododendron catawbiense, 6'-9'
Rhododendron maximum, 8'-12'
Taxus cuspidata, 4'-5'
Taxus cuspidata brevifolia, 2'-3'
Taxus canadensis, 2'-2\frac{1}{2}'
Tsuga canadensis, 75'-90'

Andromeda floribunda, 4' Andromeda japonica, 4'-5' Azalea amoena, 2½'-3' Azalea hinodegiri, 3'-4' Buxus sempervirens, 12'-15' llex crenata microphylla, 6'-8' llex glabra, 5'-6' Juniperus canadensis, 2½'-3' Kalmia latifolia, 5'-7' Leucothoe catesbaei, 3'-4'

Herbaceous Perennials

Aconitum Aquilegia Anemone japonica Cimicifuga Convallaria majalis Digitalis Dicentra spectabilis Dicentra eximia Funkia Hepatica triloba Lobelia cardinalis Lobelia syphilitica Lythrum Lychnis chalcedonica Myosotis palustrus Platycodon grandiflora Polemonium Primula Vinca minor Viola cornuta Veronica spicata

PLANTS FOR BINDING AND COVERING SOIL ON STEEP BANKS Slurubs

Acanthopanax pentaphylla, 7'-8' Berberis thunbergi, 4'-5' Comptonia asplenifolia, 2'-3' Myrica cerifera, 4'-5' Lonicera tatarica, 9'-10' Rhus glabra, 10'-12' Rhus typhina, 15'-18'

Rosa setigera, 5'-6' Sambucus canadensis, 8'-9' Spiraea tomentosa, 3'-4' Symphoricarpos racemosus, 5'-6' Symphoricarpos vulgare, 4'-5' Rosa rugosa, 4'-5' Rhus canadensis, 4'-5'

Celastrus scandens, 20'-25'Lonicera japonica, 15'-20'Lycium chinensis, 12'-15'

Vines Rosa setige

Rosa setigera Rosa wichuriana Rosa lucida. 5'-6'

PLANTS FOR DRY SOILS

Trees

Deciduous

Acer negundo, 60' Ailanthus glandulosus, 50'-60' Betula populifolia, 30'-40' Phellodendron sachalinense.

Evergreen

Pinus resinosa, 50'-60' Pinus rigida, 40'-50' Pinus divaricata, 40'-50' Pinus strobus, 80'-100'

Shrubs Deciduous

Acanthopanax pentaphylla, 7'-8' Comptonia asplenifolium, 2'-3' Cornus paniculata, 10'-12' Colutea arborescens, 8'-10' Hypericum prolificum, 21/2'-3' Hypericum kalmianum, 4'-5' Lespedeza bicolor, 5'-6' Myrica cerifera, 4'-5' Prunus maritima, 9'-10' Robina hispida, 5'-6'

Rosa setigera, 5'-6' Rhus typhina, 15'-18' Rhus canadensis. 4'-5' Rhamnus cathartica, 9'-10' Ribes aureum, 7'-8' Symphoricarpos racemosus, 5'-6' Symphoricarpos vulgare, 4'-5' Vaccinium corymbosum, 5'-6' Viburnum latana, 15'-18'

Evergreen

Arctostaphylos uva-ursi Juniperus communis, 2'-21/2' Juniperus communis depressa, $1\frac{1}{2}$ ' Juniperus sabina, 6'-7' Juniperus horizontalis, $l'-1\frac{1}{2}$ Mahonia aquifolia, 4'-5' Pachysandra terminalis, 8" Pinus montana mughus, 21/2'-3'

Herbaceous Perennials Sunny Places

Asclepias tuberosa Armeria Anthemis tinctoria Achillea tomentosa Achillea ptarmica, The Pearl Baptisia australis Baptisia tinctoria Cerastium tomentosum Dianthus barbatus Gypsophilla paniculata

Helianthemum Helianthus Linum perenne Lupinus polyphyllus Lychnis haageana Oenothera youngi Phlox subulata Pentstemon barbatus Sempervivum Sedum

Shady Places

Aquilegia canadensis Iberis sempervirens Aquilegia chrysantha Platycodon grandiflorum Sedum spectabile Heuchera sanguinea

PLANTS FOR AUTUMN COLORING

Trees

Acer rubrum, 50'-75' Acer saccharum, 50'-75' Crataegus cordata, 12'-15' Cornus florida, 15'-25'

Aster alpinus

Liquidamber styraciflua, 50'-60' Oxydendrum arboreum, 25'-30' Quercus palustris, 75'-90' Quercus rubra, 75'-90'

Shrubs

Aronia arbutifolius, 6'-8' Aronia melanocarpa, 8'-10' Berberis thunbergi, 4'-5'Cornus paniculata, 10'-12' Cornus alternifolia, 15'-18' Euonymus americana, 7'-8' Euonymus alatus, 9'-10'Rhus copallina, 12'-13' Rhus aromatica, 4'-5' Rhus glabra, 10'-12' Vaccinium corymbosum, 5'-6'Viburnum (all species)

PLANTS FOR WET OR MARSHY PLACES

Deciduous Trees

Acer rubrum, 50'-75' Betula nigra, 50'-60'

Liquidamber styraciflua, 50'-60'

Larix leptolepis, 50′–60′ Ouercus bicolor 75′–90′ Quercus palustris, 75'-90' Salix babylonica, 50'-60' Salix discolor, 15'-20' Ulmus americana, 80'-100' Taxodium distichum, 100'

Shrubs

Azalea viscosa, 4'-5'

Cephalanthus occidentalis, 4'-5'

Calycanthus floridus, 4'-5'

Chamaedaphne calyculata, 3'-4'

Cornus stolonifera, 7'-8'

Cornus amomum, 8'-9'

Clethra alnifolia, 4'-5'

Ilex verticillata, 6'-8'

Ilex glabra, 5'-6'

Itea virginica, 3'-4'

Benzoin aestivalis, 10'-12'Aronia arbutifolia. 6'-8'

Aronia melanocarpa, 8'-10'

Rosa palustris, 6'-7'

Sambucus canadensis, 8'-9'

Spiraea tomentosum, 3'-4'

Viburnum dentatum, 10'-11'

Viburnum lentago, 18'-20'

Viburnum cassinoides, 5'-6'

Herbaceous Perennials

Aster novae-angliae Asclepias tuberosa

Boltonia latisquama Caltha palustris

Cimicifuga foetida simplex

Cimicifuga racemosus Helenium autumnale

clepias tuberosa Iris sibirica tonia latisquama Iris kaempferi

Iris kaempferi Lobelia cardinalis

Lythrum salicaria roseum

Myosotis palustris Physostegia virginica

Hibiscus moscheutos

Broadleaved Evergreen Shrubs

Azalea amoena

Azalea hinodegiri

Azalea, Japanese varieties

Berberis illicifolia

Berberis julianae

Buxus

Calluna vulgaris

Chamaedaphne calyculata Cotoneaster franchetti Cotoneaster horizontalis Cotoneaster lemoinei Cotoneaster microphylla

Cotoneaster rotundifolia

Cotoneaster Simonsi Daphne cneorum Epigaea repens

Euonymus japonica Euonymus patens

Euonymus radicans and varieties

Ilex crenata microphylla & varieties

Ilex glabra Ilex opaca

Kalmia latifolia

Leiophyllum buxifolium

Leucothoe catesbaei Lonicera pileata

Mahonia aquifolia Mahonia beali

Mitchella repens Pachistima canbyi

Pieris japonica Pieris floribunda

Potentilla tridentata

Pyracantha coccinea lalandi Rhododendrons in variety Stranvaesia davidiana Viburnum rhytidophyllum

Yucca filiamentosa

BERRY-BEARING TREES AND SHRUBS

Red Berries

Berberis vulgaris, 7'-8'
Berberis thunbergi, 4'-5'
Cornus florida, 15'-25'
Crataegus cordata, 12'-15'
Crataegus crus-galli, 15'
Crataegus coccinea, 15'-20'
Cotoneaster horizontalis, 1'-1½'
Cotoneaster divaricata
Euonymus alatus, 9'-10'
Euonymus europaeus, 12'-14'
Euonymus bungeana, 12'-14'
llex verticillata, 6'-8'

Lonicera tatarica, 9'-10'
Lonicera maacki, 8'-9'
Photinia villosa
Rhamnus caroliniana
Rosa rubiginosa, 5' 6'
Rosa rugosa, 4'-5'
Rosa blanda, 4'-5'
Sorbus aucuparia, 25'-30'
Sambucus racemosus, 8'-10'
Stranvaesia davidiana
Viburnum opulus, 9'-10'
Viburnum dilatatum, 8'-9'
Viburnum americanum, 8'-9'
Benzoin aestivale, 10'-12'

White Berries

Cornus stolonifera, 7'-8' Cornus alba, 8'-10' Symphoricarpos racemosus, 5'-6'

Yellow Berries

Elaeagnus longipes, 6'-8' Euonymus bungeanus

Lonicera morrowi, 7'-8'

Elaeagnus angustifolia, 15'–18' Eleagnus umbellatus

Black Berries

Aralia spinosa, 18'–20' llex glabra, 5'–6' llex crenata microphylla, 6'–8' Ligustrum vulgare, 10'–19' Ligustrum regelianum Phellodendron sachalinense Aronia melanocarpa, 8'–10' Amelanchier canadensis, 12'–15' Rhodotypus kerrioides, 4'-5'
Sambucus canadensis, 8'-9'
Viburnum acerifolium
Viburnum prunifolium
Viburnum sieboldi, 9'-10'
Viburnum plicatum, 7'-8'
Viburnum lantana, 15'-18'
Rhamnus cathartica, 9'-10'

Deep Blue-black Berries

Mahonia aquifolia, 4'–5' Vaccinium corymbosum Viburnum dentatum, 10'–12' Viburnum cassinoides, 5'-6' Viburnum lentago Viburnum molle

Blue Berries

Ampelopsis heterophylla Cornus amomum, 8'-9'

Callicarpa purpurea (mauve) Callicarpa japonica Symplocos paniculata

Bignonia...... 7

64 INDEX INDEX OF BOTANICAL AND COMMON NAMES PAGE Α PAGE30 Birch..... 7 Acanthopanax 3 Bittersweet 8 Acer..... 3. 4 Black Alder 15 Achillea48 Black Haw28 48 Aconitum......48 Blanket Flower52 Actinidia 4 Adam's Needle 47. 57 Bluebeard 8 Agrostemma48 Bluebell54 Ajuga48 Blue Berry.....27 Akebia 4 Alder 4 Almond, Flowering20 Boltonia49 Alnus 4 Boxwood _____31 Alpine Savory49 Althaea 14, 48, 53 Bridal Wreath25 Alyssum 50 Buddleia 8 Buckthorn22 Amelanchier 5 Bugbane 50 Bugloss48 Amygdalus...... 5 Burning Bush12 Anchusa48 Bush Clover _____15 Andromeda 20, 38 Buttonbush 8 Anemone48 Buttonwood20 Anthemis48 Butterfly Bush...... 8 Aquilegia48 Butterfly Weed49 Arabis......49 Buxus 31 Arbor Vitae......43-46 Arenaria49 Armeria 49 Calamintha49 Aronia 5 California Privet16 Arrow Wood......27 Callicarpa 8 Artemesia......49 Calluna31 Asclepias 49 Calvcanthus 8 Ash......12 Camomile48 Aster......49 Campanula 49, 50 Aubretia49 Campion 54, 56 Auricula55 Candleberry19 Candytuft53 Canterbury Bells 49 R Cardinal Flower54 Carpet Bugle48 Baby's Breath52 Carpinus...... 8 Balloon Flower......55 Caryopteris 8 Baptisia49 Catalpa 8 Barberry...... 6, 7, 30, 31 Catchfly......56 Bay Berry19 Catmint54 Beach Plum.....21 Beauty Berry..... 8 Ceanothus 8 Cedar 33-36 Beauty Bush15 Celastrus...... 8 Bee Balm.....54 Centaurea50 Beard Tongue55 Centranthus50 Bellflower49, 50 Cephalanthus 8 Bellis 49 Cerasus 20-21 Benzoin 6 Cerastium50 Betony56 Cercidiphyllum 9 Cercis 9 Betula 7

Chamaecyparis31, 40

	PAGE		PAGE
Chamaedaphne	31	Engelmann Creeper	
Chaste Tree		Erigeron	
Chelone		Erinus	
Cherry, Flowering and Weeping	221	Eryngium	52
Chionanthus	9	Eryngo	
Chinese Apple.	18	Euonymus	12, 13, 32
Chinese Beauty Berry	8	Eupatorium	
Chinese Fleece Vine	20	Euphorbia	52
Chinese Lantern	55	Evening Primrose	54
Chrysanthemum	50	Exochorda	13
Chokeberry	5	F	
Cimicifuga		•	~ ~
Cinquefoii	0, 39	False Dragonhead	55
Cladrastis	9	False Spirea	24
Clary	56	Fir	30, 39
Clematis	9, 51	Firethorn	
Clethra	9	Flax	
Cockspur Thorn		Fleabane	
Columbine		Fleur-de-lis	
Colutea		Flowering Almond	
Coneflower	51	Flowering Quince	12
Coneflower, Showy	56	Flowering Spurge	52
Coral Berry		Forget-me-not	
Coral Bells		Forsythia	
Coreopsis		Foxglove	
Cornellian Cherry		Fraxinus	
Corn Flower		Funkia	32
Cornus		G	
Cotoneaster 10, 11, 3			5.2
Cowslip	55	Gaillardia	
Crab Apple, Flowering1	8, 19	Galax Gas Plant	
Cranberry		Gayfeather	
Cranesbill		Geneva Bugle	
Crataegus		Geranium	
Cryptomeria		Geranium Creeper	52
Cup and Saucer		Germander	
Cydonia		Geum	
Cypress	0-42	Ginkgo.	
· D		Gleditsia	
D		Globe Daisy	
Daisy 4		Globularia	
Daphne		Goatsbeard	
Daylily		Golden Bell	
Delphinium	51	Golden Chain	
Desmodium		Golden Tuft	
Deutzia		Goldmoss	
Dianthus		Grasses	
Dicentra		Greek Valerian	
Dictamnus		Gymnocladus	14
Diervilla		Gypsophylla	
Digitalis			
Dogwood	30	Н	
Dracocephalum		Halesia	14
Dragonhead		Hamamelis	14
Dragonireau	1, 55	Hardy Pink	51
E		Harebell	50
		Hawthorn	
Echinacea		Heather	
Eleagnus		Helenium	
Elm	27	Helianthemum	52

DAG	172		DAGE
PAC		T * . *	PAGE
Helianthus		Liatris	54
Heliopsis		Ligustrum	15–16
Hemerocallis		Lilac	25, 26
Hemlock		Lindera	C
Hepatica5		Linum	54
Hesperus	53	Liquidambar	16
Heuchera	53	Liriodendron	16
Hibiscus	53	Liver-balsam	52
Highbush Blueberry2	27	Lobelia	54
Holly		Locust	14
Holly Grape		Lonicera 16	17 37
Hollyhock 48, 5	53	Loosestrife :	, 11, 51 54
Honeysuckle Bush		Lupine	
		Lupinus	5/
Honeysuckle Vine16, 17, 3		Lupinus	54
Hornbeam		Lychnis	
Hydrangea	14	Lycium	1 /
Hypericum	15	Lythrum	54
	1	M	
I	1	Magnolia	17 18
Iberis	53	Mahonia	17, 10
Ilex	33	Maidankaia Tara	1.7
Inkberry		Maidenhair Tree	I.J
Iris		Mallow Marvel	
		Malus	18-19
Itea	13	Maple	3-4
J		Matrimony Vine	17
•		Mazus	54
Jacob's Ladder	25	Meadowrue	57
Japanese Creeper	5 :	Mertensia	54
Japanese Flowering Quince	12	Mistflower	52
Japanese Holly	33	Mock Orange	
Japanese Maple	3	Monardia	54
Japanese Spurge 37, 5	54	Monkshood	48
Jasmine	15	Morus	10
Jasminum1		Moss Pink	5.5
Jersey Tea		Mountain Ash	24
Jetbead		Mountain Laurel	37
Judas Tree		Mountain Pink	
Juneberry	5	M	
Juniper33-3	36	Mugwort	1.0
Juniper 33-3	36	Mulberry	15
Juniter's Beard	50	Myosotis	54
Jupiter's Deard	00	Myrica	15
К ,		Myrtle	47
Kalmia	77	N	
Kalmia	2/	Nannyberry	28
Katsura Tree	9	Nepeta	54
Kentucky Coffee Tree		Nierembergia	5/
Kerria		Norway Maple	
Koelreuteria			
Kolkwitzta	15	O	
L	- 1	Oak	21
I 1	15	Oenothera	54
Laburnum		Oregon Fleabane	52
Larkspur		Oriental Cherry	21
Laurel		Osier	10
Lavendula		Oxlip	55
Lavender		Oxydendrum	19
Leadwort		Oregon Holly Grape	37
Leatherleaf 31,			
Leiophyllum		P	
Lespedeza	15	Pachysandra	37, 54
Leucothoe	37	Paeonia	54

	PAGE		PAGE
Painted Lady	56	Rockspray	32
	57	Rosa	
Panaver	54	Rose of Sharon	
Desaya Flower	48	Rose Bay	
Peach, Flowering	5	Roses, Native & Species .	
Pearl Bush	13	Roses, Climbing	
Peony	54	Rudbeckia	56
Periwinkle	47, 57	Russian Olive	12
Pentstemon	55		
Philadelphus	19	S	
Pilladelpilus	55	5	
		Sage	56
	20		
Physalis	55	Salisburia	
Physostegia	55	Salix	23, 24
Picea	37-38	Salvia	
	38		
Dina	38-39	Sand Myrtle	37
Pine		Sandwort	
	51	Saponaria	56
	53	Saponana	2.4
Pinus	38–39	Sassafras	24
	6	Scabiosa	
Plane Tree	20	Sea Lavender	56
Diamental Lile	52	Sedum	56
		Sempervivum	
	20	Shasta Daisy	50
Platycodon	55		
Plumbago	55	Siberian Dragonhead	
Plum, Dbl. & Sing	le Flowering 20,21	Sidalcea	56
Polemonium	55,	Silene	56
Dolugonum	20	Silver Bell	14
		Smoke Tree	
	20	Sneezeweed	
	54	Snowball	28
	20	Snowball	20
Potentilla	20, 39	Snowberry	
Prairie Mallow	56	Snowdrop	
	54, 55	Snow-in-Summer	50
	55	Soapwort	56
		Sorbaria	24
	15, 33	Sorbus	
	15, 16		
Prunus	20, 21	Sorrell Tree	
Pseudotsuga	39	Sourwood	
	20	Speedwell	57
	39	Spice Bush	6
Pyracantna		Spirea	24, 25, 56
Pyrethrum	56	Spruce	37_38
		Spruce	77 54
	Q	Spurge	37, 34
Ouercus	21	St. Johnswort	14
	g12	Stachys	56
		Statice	56
	R	Stephanandra	
Redbud	9	Stokesia	
		Ct	56
Redcedar	35-36	Stonecrop	
Red Maple	4	Storax	
*		Styrax	25
•	40-42	Sugar Maple	4
Rhamnus	22	Sumach	22
	42	Summer Sweet	9
	22	Sundrops	
	22	Sunflower	33
	49	Sunrose	52
	53	Sweet Bay	
Rock Soapwort	56	Sweet Briar	
•			

Sweet Gum 16 Varnish Tree 11 Sweet Shrub 8 Verbena 55 Sweet Shrub 8 Veronica 55 Sweet William 51 Viburnum 27–28, 47 Symphoricarpos 25 Viola 47, 55 Symplocos 25 Violet 55 Syringa 25, 26 Violet 57 Taxus 43 Vitex 22 Taxus 43 Wayfaring Tree Wayfaring Tree 28 Wax Myrtle 19 Weeping Mulberry 19 Weeping Mulberry 19 Weeping Mulberry 19 Weigela 29 White Ash 13 Thyme 57 White Ash 13 Thyme 57 White Birch 7 Tritoma </th <th>PAGE</th> <th>PAGI</th>	PAGE	PAGI
Sweeted Shrub 8 Sweet Shrub 8 Sweet William 51 Sweet William 51 Symphoricarpos 25 Symphocos 25 Syringa 25, 26 Violet 55 Syringa 25, 26 Violet 55 Syringa 25, 26 Viver 26 Taxus 43 Teucrium 57 Thalictrum 57 Thoroughwort 52 Thrift 56 Thuja 43-46 Thyme 57 Torch Lily 57 Thymus 57 Tritoma 57 Trymupet Vine 7 Tunica 57 Tunica 57 Tunic Flower 5		
Sweet Shrub 8 Sweetspire 15 Sweet William 51 Symphoricarpos 25 Symplocos 25 Syringa 25, 26 Tamarix 26 Taxus 43 Teucrium 57 Thalictrum 57 Thoroughwort 52 Thrift 56 Thyme 57 Torch Lily 57 Tritoma 57 Tritoma 57 Tritoma 57 Tsuga 47 Trumpet Vine 7 Tulip Tree 16 Tunica 57 Tunic Flower 57 Tunic Flower 57 Tuntlehead 50 Wither Jamine 15 Witch Hazel 14 Witch Hazel 14 Witch Hazel 14 Witch Hazel 14 Woodbine 16 V Yarrow	Sweetleaf25	Verbena
Sweetspire 15 Viburnum 27–28, 47 Sweet William 51 Vinca 47, 55 Symphoricarpos 25 Viole 55 Symplocos 25 Violet 55 Syringa 25, 26 Vitex 22 T T W Wayfaring Tree 28 Vitis Wax Myrtle 19 19 Teucrium 57 Weeping Mulberry 19 Thoroughwort 52 Whitecup 54 Thuja 43–46 Whitecup 54 Thyme 57 White Ash 13 Torch Lily 57 White Birch 7 Tritoma 57 Willows 23–24 Trumpet Vine 7 Willows 23–24 Tunica 57 Winter Jasmine 15 Tunic Flower 57 Witch Hazel 14 Tunic Flower 57 Witch Hazel 14 Woodbine 16	Sweet Shrub 8	
Sweet William 51 Vinca 47, 57 Symphoricarpos 25 Violet 57 Syringa 25, 26 Violet 57 Tamarix 26 Vitex 29 Taxus 43 Wayfaring Tree 28 Teucrium 57 Weeping Mulberry 19 Thalictrum 57 Weigela 29 Thrift 56 Whitecup 54 Thuja 43-46 White Fringe 9 Thyme 57 White Ash 13 Torch Lily 57 White Birch 7 Tritoma 57 Willows 23-24 Trumpet Vine 7 Winterberry 15 Tunica 57 Winter Jasmine 15 Turtlehead 50 Witch Hazel 14 U Ulmus 27 Umbrella Tree 8 Y V Yarrow 48 Yellow-wood 9 Ye	Sweetspire15	Viburnum
Symphoricarpos 25	Sweet William51	Vinca 47, 57
Symplocos		Viola57
T Tamarix 26		Violet57
Tamarix 26 Taxus 43 Teucrium 57 Thalictrum 57 Thalictrum 57 Thoroughwort 52 Thrift 56 Thuja 43-46 Thyme 57 Torch Lily 57 Thymus 57 Tritoma 57 Tritoma 57 Trumpet Vine 7 Tulip Tree 16 Tunica 57 Turtlehead 50 U Ulmus 27 Unbrella Tree 8 Vitis 6 W Wayfaring Tree 28 Wax Myrtle 19 Weeping Mulberry 19 Weigela 29 White cup 54 White Fringe 9 White Fringe 9 White Ash 13 Willows 23-24 Winterberry 15 Winterberry 15 Wintercreeper 32 Winter Jasmine 15 Wi	Syringa25, 26	Vitex29
Tamarix 26 W Taxus. 43 Wayfaring Tree 28 Teucrium 57 Wax Myrtle. 19 Thalictrum 57 Weeping Mulberry 19 Thoroughwort 52 Weigela 29 Thrift 56 Whitecup 54 Thuja 43-46 White Fringe 9 Torch Lily 57 White Ash 13 Torch Lily 57 White Birch 7 Tritoma 57 Willows 23-24 Tsuga 47 Winterberry 15 Tulip Tree 16 Wintercreeper 32 Tunica 57 Winter Jasmine 15 Turtlehead 50 Witherod 27 Ulmus 27 Wisteria 29 Woodbine 16 Yellow-wood 9 Yellow-wood 9 Yew 43		Vitis
Taxus 43 Taxus 43 Teucrium 57 Thalictrum 57 Thoroughwort 52 Thrift 56 Thuja 43-46 Thyme 57 Torch Lily 57 Thymus 57 Tritoma 57 Tsuga 47 Trumpet Vine 7 Tulip Tree 16 Tunica 57 Tunic Flower 57 Turtlehead 50 Witherod 27 Ulmus 27 Umbrella Tree 8 V Yarrow 48 Yellow-wood 9 Yellow-wood 9 Yew 43	•	TAY
Teucrium 57 Wax Myrtle. 19 Thalictrum 57 Weeping Mulberry 19 Thoroughwort 52 Weigela 29 Thrift 56 Whitecup 54 Thuja 43-46 White Eringe 9 Torch Lily 57 White Ash 13 Torch Lily 57 White Birch 7 Tritoma 57 Willows 23-24 Tsuga 47 Winterberry 15 Tulip Tree 16 Wintercreeper 32 Tunica 57 Winter Jasmine 15 Turtlehead 50 Witherod 27 Ulmus 27 Umbrella Tree 8 Y V Yarrow 48 Valeriana 57 Yew 43	Tamarix 26	The state of the s
Thalictrum 57 Weeping Mulberry 19 Thoroughwort 52 Weigela 29 Thrift 56 Whitecup 54 Thuja 43-46 Whitecup 54 Thyme 57 White Fringe 9 Torch Lily 57 White Birch 7 Tritoma 57 Willows 23-24 Tsuga 47 Winterberry 15 Tsuga 47 Winterberry 15 Tulip Tree 16 Wintercreeper 32 Tunica 57 Winter Jasmine 15 Turtlehead 50 Witherod 27 Ulmus 27 Wisteria 29 Woodbine 16 Yarrow 48 Yellow-wood 9 Yellow-wood 9 Yellow-wood 9 Yew 43	Taxus43	
Thoroughwort 52 Weigela 25 Thrift 56 Whitecup 54 Thuja 43-46 Whitecup 54 Thyme 57 White Fringe 9 Torch Lily 57 White Ash 13 Tritoma 57 Willows 23-24 Trumpet Vine 7 Winterberry 15 Tulip Tree 16 Winter Jasmine 15 Tunica 57 Winter Jasmine 15 Turtlehead 50 Witherod 27 Ulmus 27 Wisteria 29 Woodbine 16 Woodbine 16 V Yarrow 48 Vallow-wood 9 Yew Valeriana 57 Yew 43	Teucrium57	
Thrift 56 Whitecup 54 Thuja 43-46 White Fringe 9 Thyme 57 White Ash 13 Torch Lily 57 White Birch 7 Trymus 57 Willows 23-24 Trumpet Vine 7 Winterberry 15 Tunip Tree 16 Wintercreeper 32 Tunic Flower 57 Winter Jasmine 15 Turtlehead 50 Witherod 27 Ulmus 27 Wisteria 29 Woodbine 16 Woodbine 16 V Yarrow 48 Yellow-wood 9 Yew Valeriana 57 Yew 43	Thalictrum57	Weeping Mulberry
Thuja 43-46 Thyme 57 Torch Lily 57 Torch Lily 57 Thymus 57 Tritoma 57 Tritoma 57 Tsuga 47 Trumpet Vine 7 Tulip Tree 16 Tunica 57 Tunic Flower 57 Turtlehead 50 Winter Jasmine 15 Witherod 27 Wisteria 29 Woodbine 16 V Yarrow 48 Yellow-wood 9 Yew 43	Thoroughwort52	Weigela29
Thuja 43-46 Thyme 57 Torch Lily 57 Thymus 57 Tritoma 57 Tsuga 47 Trumpet Vine 7 Tulip Tree 16 Tunica 57 Tunic Flower 57 Turtlehead 50 Winter Jasmine 15 Witch Hazel 14 Wisteria 29 Woodbine 16 Umbrella Tree 8 V Yarrow 48 Valeriana 57 Yew 43	Thrift56	Whitecup 54
Torch Lily 57 Torch Lily 57 Thymus 57 Thymus 57 Tritoma 57 Tritoma 57 Tsuga 47 Trumpet Vine 7 Tulip Tree 16 Tunica 57 Winter Jasmine 15 Tunic Flower 57 Turtlehead 50 U Ulmus 27 Umbrella Tree 8 V V Vaccinium 27 Valeriana 57 Vew 48 Valeriana 57 Verite Ash. 13 White Ash. 13 White Ash. 13 White Birch. 7 Willows 23–24 Willows 23–24 Winterberry 15 Winter Jasmine 15 Witch Hazel 14 Woodbine 16 V Yarrow 48 Yellow-wood 99 Yew. 43		
Thymus 57 White Birch. 7 Tritoma 57 Willows 23-24 Tsuga 47 Winterberry 15 Trumpet Vine 7 Winterberry 15 Tulip Tree 16 Wintercreeper 32 Tunica 57 Winter Jasmine 15 Turilehead 50 Witherod 27 U Wisteria 29 Woodbine 16 Umbrella Tree 8 Y V Yarrow 48 Yellow-wood 9 Yew 43	Thyme57	_
Tritoma 57 Willows 23-24 Tsuga 47 Winterberry 15 Trumpet Vine 7 Winterberry 15 Tulip Tree 16 Wintercreeper 32 Tunica 57 Winter Jasmine 15 Turic Flower 57 Witch Hazel 14 Turtlehead 50 Witherod 27 U Wisteria 29 Woodbine 16 V Yarrow 48 Vaccinium 27 Valeriana 57 Yew 43	Torch Lily57	
Tsuga 47 Trumpet Vine 7 Tulip Tree 16 Tunica 57 Tunic Flower 57 Turtlehead 50 Winter Jasmine 15 Witch Hazel 14 Witherod 27 Wisteria 29 Woodbine 16 V Yarrow 48 Vaccinium 27 Valeriana 57 Yew 43		
Trumpet Vine. 7 Tulip Tree. 16 Tunica. 57 Tunic Flower. 57 Turtlehead. 50 Witherod. 27 Umus. 27 Umbrella Tree. 8 V Yarrow. Vaccinium. 27 Valeriana. 7 Yew 43		Willows 23-24
Trumpet Vine	1 suga 47	Winterberry15
Tunica 57 Tunic Flower 57 Turtlehead 50 Witch Hazel 14 Witch Horod 27 Wisteria 29 Woodbine 16 V Yarrow 48 Vaccinium 27 Valeriana 57 Yew 43	Trumpet Vine	
Tunic Flower 57 Witch Hazel 14 Turtlehead 50 Witherod 27 U Wisteria 29 Umbrella Tree 8 Y V Yarrow 48 Vaccinium 27 Yellow-wood 9 Valeriana 57 Yew 43		
Turtlehead 50 Witherod 27 U Wisteria 29 Umbrella Tree 8 Y V Yarrow 48 Vaccinium 27 Valeriana 57 Yew 43	Tunic Flourer 57	
U Wisteria 29 Woodbine 16 U Ulmus 27 Umbrella Tree 8 V Yarrow 48 Yellow-wood 9 Valeriana 57 Yew 43	Turtlahaad 50	
Ulmus 27		
Ulmus 27 Umbrella Tree 8 V Yarrow Vaccinium 27 Valeriana 57 Yew 43	U	
V Yarrow 48 Vaccinium 27 Yellow-wood 9 Valeriana 57 Yew 43	Ulmus27	W COGDINE
Vaccinium 27 Yellow-wood 9 Valeriana 57 Yew 43	Umbrella Tree 8	Y
Vaccinium 27 Yellow-wood 9 Valeriana 57 Yew 43	V	Yarrow48
Valeriana57 Yew43	•	Yellow-wood 9
		Yew43
		Yucca 47, 57

If so desired, we will gladly make up a selection of material specially adapted to particular conditions.





